

## References

- Agresti, A., 2002: *Categorical Data Analysis, 2nd ed.* New York: Wiley, 734pp.
- Andersson, E. and H. Järvinen, 1999: Variational Quality Control. *Quart. J. Roy. Meteor. Soc.*, **125**, 697–722.
- Aoki, Te., Ta. Aoki, M. Fukabori, and T. Takao, 2002: Characteristics of UV-B irradiance at Syowa Station, Antarctica: Analyses of the measurements and comparison with numerical simulations. *J. Meteor. Soc. Japan*, **80**, 161–170.
- Arakawa, A., 1972: Design of the UCLA general circulation model. Numerical simulation weather and climate, Tech. Rep. 7, Dept. of Meteorology, University of California, Los Angeles. 116pp.
- Arakawa, A. and V. R. Lamb, 1977: Computational design of the basic dynamical processes of the UCLA general circulation model. *Methods in Computational Physics*, **17**, 174–265, Academic Press.
- Arakawa, A. and W. H. Schubert, 1974: Interaction of a cumulus cloud ensemble with the large-scale environment, Part I. *J. Atmos. Sci.*, **31**, 674–701.
- Aranami, K. and J. Ishida, 2004: Implementation of two dimensional decomposition for JMA non-hydrostatic model. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **34**, 03.01–03.02.
- Arking, A. and K. Grossman, 1972: The influence of line shape and band structure on temperatures in planetary atmospheres. *J. Atmos. Sci.*, **29**, 937–949.
- Barkmeijer, J., R. Buizza, T. N. Palmer, K. Puri, and J.-F. Mahfouf, 2001: Tropical singular vectors computed with linearized diabatic physics. *Quart. J. Roy. Meteor. Soc.*, **127**, 685–708.
- Barnes, R. T. H., R. Hide, A. A. White, and C. A. Wilson, 1983: Atmospheric angular momentum fluctuations, length-of-day change and polar motion. *Proc. R. Soc.*, **A387**, 31–73.
- Beljaars, A. C. M., 1995: The parameterization of surface fluxes in large-scale models under free convection. *Quart. J. Roy. Meteor. Soc.*, **121**, 255–270.
- Beljaars, A. C. M. and A. A. M. Holtslag, 1991: Flux parameterization over land surfaces for atmospheric models. *J. Appl. Meteor.*, **30**, 327–341.
- Berger, M. J. and J. Olinger, 1984: Adaptive mesh refinement for hyperbolic partial differential equations. *J. Comp. Phys.*, **53**, 484–512.
- Berner, J., G. J. Shutts, M. Leutbecher, and T. N. Palmer, 2009: A Spectral Stochastic Kinetic Energy Backscatter Scheme and Its Impact on Flow-Dependent Predictability in the ECMWF Ensemble Prediction System. *J. Atmos. Sci.*, **66**, 603–626.
- Bishop, C. H., B. J. Etherton, and S. J. Majumdar, 2001: Adaptive Sampling with the Ensemble Transform Kalman Filter. Part I: Theoretical Aspects. *Mon. Wea. Rev.*, **129**, 420–436.
- Blackadar, A. K., 1962: The vertical distribution of wind and turbulent exchange in a neutral atmosphere. *J. Geophys. Res.*, **67**, 3095–3102.
- Bloom, S. C., L. L. Takacs, A. M. da Silva, and D. Ledvina, 1996: Data assimilation using incremental analysis updates. *Mon. Wea. Rev.*, **124**, 1256–1271.
- Bourke, W., 1974: A multi-level spectral model. I. Formulation and hemispheric integrations. *Mon. Wea. Rev.*, **102**, 687–701.
- Briegleb, B. P., 1992: Delta-Eddington Approximation for Solar Radiation in the NCAR Community Climate Model. *J. Geophys. Res.*, **97**, 7603–7612.
- Buizza, R., 1998: Impact of Horizontal Diffusion on T21, T42, and T63 Singular Vectors. *J. Atmos. Sci.*, **55**, 1069–1083.
- Buizza, R., M. Miller, and T. N. Palmer, 1999: Stochastic representation of model uncertainties in the ECMWF Ensemble Prediction System. *Quart. J. Roy. Meteor. Soc.*, **125**, 2887–2908.
- Buizza, R. and T. N. Palmer, 1995: The Singular-Vector Structure of the Atmospheric Global Circulation. *J. Atmos. Sci.*, **52**, 1434–1456.
- Caumont, O., V. Ducrocq, É. Wattrelot, G. Jaubert, and S. Pradier-vabre, 2010: 1D+3DVar assimilation of radar reflectivity data: a proof of concept. *Tellus*, **62A**, 173–187.
- Cavaleri, L. and P. M. Rizzoli, 1981: Wind wave prediction in shallow water: Theory and applications. *J. Geophys. Res.*, **86**, 10961–10973.
- Charnock, H., 1955: Wind stress on a water surface. *Quart. J. Roy. Meteor. Soc.*, **81**, 639–640.

- Chiba, M., K. Yamazaki, K. Shibata, and Y. Kuroda, 1996: The description of the MRI atmospheric spectral GCM (MRI-GSPM) and its mean statistics based on 10-year integration. *Pap. Meteor. Geophys.*, **47**, 1–45.
- Chou, M.-D. and L. Kouvaris, 1991: Calculations of transmission functions in the infrared CO<sub>2</sub> and O<sub>3</sub> bands. *J. Geophys. Res.*, **96**, 9003–9012.
- Chou, M.-D., M. J. Suarez, X.-Z. Liang, and M. M.-H. Yan, 2001: A thermal infrared radiation parameterization for atmospheric studies. Technical report series on global modeling and data assimilation, NASA/TM-2001-104606, 19, NASA Goddard Space Flight Center, 56 pp.
- Coakley, J. A., R. D. Cess, and F. B. Yurevich, 1983: The effect of tropospheric aerosols on the earth's radiation budget: a parameterization for climate models. *J. Atmos. Sci.*, **40**, 116–138.
- Courtier, P., J.-N. Thépaut, and A. Hollingsworth, 1994: A strategy for operational implementation of 4D-Var, using an incremental approach. *Quart. J. Roy. Meteor. Soc.*, **120**, 1367–1387.
- Deardorff, J. W., 1978: Efficient prediction of ground surface temperature and moisture, with inclusion of a layer of vegetation. *J. Geophys. Res.*, **83**, 1889–1903.
- Deardorff, J. W., 1980: Stratocumulus-capped mixed layers derived from a three-dimensional model. *Bound.-Layer Meteor.*, **18**, 495–527.
- Dee, D. P., 2004: Variational bias correction of radiance data in the ECMWF system. *Proceedings of the ECMWF workshop on assimilation of high spectral resolution sounders in NWP*, Reading, UK, 28 June - 1 July 2004, 97–112.
- Derber, J. and F. Bouttier, 1999: A reformulation of the background error covariance in the ECMWF global data assimilation system. *Tellus*, **51A**, 195–221.
- Derber, J. C. and W.-S. Wu, 1998: The use of TOVS cloud-cleared radiances in the NCEP SSI analysis system. *Mon. Wea. Rev.*, **126**, 2287–2299.
- Desroziers, G., L. Berre, B. Chapnik, and P. Poli, 2005: Diagnosis of observation, background and analysis-error statistics in observation space. *Quart. J. Roy. Meteor. Soc.*, **131**, 3385–3396.
- Deushi, M. and K. Shibata, 2011: Development of a Meteorological Research Institute Chemistry-Climate Model version 2 for the study of tropospheric and stratospheric chemistry. *Pap. Meteor. Geophys.*, **62**, 1–46.
- Doblas-Reyes, F. J., R. Hagedorn, T. N. Palmer, and J.-J. Morcrette, 2006: Impact of increasing greenhouse gas concentrations in seasonal ensemble forecasts. *Geophys. Res. Lett.*, **33**, L07708.
- Dorman, J. and P. J. Sellers, 1989: A global climatology of albedo, roughness length and stomatal resistance for atmospheric general circulation models as represented by the Simple Biosphere model (SiB). *J. Appl. Meteor.*, **28**, 833–855.
- Ebert, E. E. and J. A. Curry, 1992: A parameterization of ice cloud optical properties for climate models. *J. Geophys. Res.*, **97**, 3831–3836.
- Ebita, A., S. Kobayashi, Y. Ota, M. Moriya, R. Kumabe, K. Onogi, Y. Harada, S. Yasui, K. Miyaoka, K. Takahashi, H. Kamahori, C. Kobayashi, H. Endo, M. Soma, Y. Oikawa, and T. Ishimizu, 2011: The Japanese 55-year Reanalysis “JRA-55”: An Interim Report. *SOLEA*, **7**, 149–152.
- Egbert, G. D. and S. Y. Erofeeva, 2002: Efficient Inverse Modeling of Barotropic Ocean Tides. *J. Atmos. Oceanic Technol.*, **19**, 183–204.
- Ehrendorfer, M., R. M. Errico, and K. D. Raeder, 1999: Singular-vector perturbation growth in a primitive equation model with moist physics. *J. Atmos. Sci.*, **56**, 1627–1648.
- Elliott, A. J., 1986: Shear diffusion and the spread of oil in the surface layers of the North Sea. *Dt. Hydrogr. Zeit.*, **39**, 113–137.
- Fingas, M. F., 1997: Studies on the evaporation of crude oil and petroleum products: I. The relationship between evaporation rate and time. *J. Hazard. Mater.*, **56**, 227–236.
- Folland, C. K. and D. E. Parker, 1995: Correction of instrumental biases in historical sea surface temperature data. *Quart. J. Roy. Meteor. Soc.*, **121**, 319–367.
- Foster, D. J. and R. D. Davy, 1988: Global Snow Depth Climatology. Tech. Rep. USAF-ETAC/TN-88/006, Scott Air Force Base, Illinois. 48pp.
- Frank, W. M., 1977: The structure and energetics of the tropical cyclone I. Storm structure. *Mon. Wea. Rev.*, **105**, 1119–1135.
- Frank, W. M., 1984: A composite analysis of the core of a mature hurricane. *Mon. Wea. Rev.*, **112**, 2401–2420.

- Freidenreich, S. M. and V. Ramaswamy, 1999: A new multiple-band solar radiative parameterization for general circulation models. *J. Geophys. Res.*, **104**, 31 389–31 409.
- Fujii, Y. and M. Kamachi, 2003: A reconstruction of observed profiles in the sea east of Japan using vertical coupled temperature-salinity EOF modes. *J. Oceanogr.*, **59**, 173–186.
- Fujita, T., 1952: Pressure Distribution within Typhoon. *Geophys. Mag.*, **23**, 437–451.
- Gauthier, P. and J.-N. Thépaut, 2001: Impact of digital filter as a weak constraint in the preoperational 4DVAR assimilation system of Météo-France. *Mon. Wea. Rev.*, **129**, 2089–2102.
- Geleyn, J.-F. and A. Hollingsworth, 1979: An economical analytical method for the computation of the interaction between scattering and line absorption of radiation. *Contrib. Atmos. Phys.*, **52**, 1–16.
- Gent, P. R. and J. C. McWilliams, 1990: Isopycnal mixing in ocean circulation models. *J. Phys. Oceanogr.*, **20**, 150–155.
- Gibson, J. K., P. Kållberg, S. Uppala, A. Hernandez, A. Noumura, and E. Serrano, 1997: *ERA Description, Re-Analysis (ERA) Project Report Series, Vol. 1*. European Centre for Medium-Range Weather Forecasts, Reading, UK, 77pp.
- Godske, C. L. et al., 1957: *Dynamic Meteorology and Weather Forecasting*, chap. 18. Amer. Met. Soc.
- Gregory, D., R. Kershaw, and P. M. Inness, 1997: Parameterization of momentum transport by convection. II: Tests in single-column and general circulation models. *Quart. J. Roy. Meteor. Soc.*, **123**, 1153–1183.
- Griffies, S. M. and R. W. Hallberg, 2000: Biharmonic friction with a Smagorinsky-like viscosity for use in large-scale eddy-permitting ocean models. *Mon. Wea. Rev.*, **128**, 2935–2946.
- Guenther, A., C. N. Hewitt, D. Erickson, R. Fall, C. Geron, T. Graedel, P. Harley, L. Klinger, M. Lerdau, W. A. McKay, T. Pierce, B. Scholes, R. Steinbrecher, R. Tallamraju, J. Taylor, and P. Zimmerman, 1995: A global model of natural volatile organic compound emissions. *J. Geophys. Res.*, **100**, 8873–8892.
- Hansen, J. and M. Sato, 2004: Greenhouse gas growth rates. *Proc. Natl. Acad. Sci.*, **101**, 16 109–16 114.
- Hasegawa, H., N. Kohno, and H. Hayashibara, 2012: JMA's Storm Surge Prediction for the WMO Storm Surge Watch Scheme (SSWS). *RSMC Tokyo-Typhoon Center Technical Review*, **14**, 13–24.
- Hasselmann, S., K. Hasselmann, J. H. Allender, and T. P. Barnett, 1985: Computations and parameterizations of the nonlinear energy transfer in a gravity-wave spectrum. Part II: Parameterizations of the nonlinear energy transfer for application in wave models. *J. Phys. Oceanogr.*, **15**, 1378–1391.
- Hasumi, H., 2006: CCSR Ocean Component Model (COCO) Version 4.0. CCSR Report 25, Center for Climate System Research, The University of Tokyo. 103pp.
- Hibler, W. D., 1979: A dynamic thermodynamic sea ice model. *J. Phys. Oceanogr.*, **9**, 815–846.
- Higaki, M., H. Hayashibara, and F. Nozaki, 2009: Outline of the storm surge prediction model at the Japan Meteorological Agency. *RSMC Tokyo-Typhoon Center Technical Review*, **11**, 25–38.
- Holmlund, K., 1998: The utilization of statistical properties of satellite-derived atmospheric motion vectors to derive quality indicators. *Wea. Forecasting*, **13**, 1093–1104.
- Honda, Y., M. Nishijima, K. Koizumi, Y. Ohta, K. Tamiya, T. Kawabata, and T. Tsuyuki, 2005: A pre-operational variational data assimilation system for a non-hydrostatic model at the Japan Meteorological Agency: Formulation and preliminary results. *Quart. J. Roy. Meteor. Soc.*, **131**, 3465–3475.
- Hortal, M., 2002: The development and testing of a new two-time-level semi-Lagrangian scheme (SETTLS) in the ECMWF forecast model. *Quart. J. Roy. Meteor. Soc.*, **128**, 1671–1687.
- Hoskins, B. J. and A. J. Simmons, 1975: A multi-layer spectral model and the semi-implicit method. *Quart. J. Roy. Meteor. Soc.*, **101**, 637–655.
- Hunke, E. C. and J. K. Dukowicz, 1997: An elastic-viscous-plastic model for sea ice dynamics. *J. Phys. Oceanogr.*, **27**, 1849–1867.
- Ikawa, M. and K. Saito, 1991: Description of a nonhydrostatic model developed at the Forecast Research Department of the MRI. *Tech. Rep. MRI*, **28**, 238pp.
- Ikuta, Y. and Y. Honda, 2011: Development of 1D+4DVAR data assimilation of radar reflectivity in JNoVA. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **41**, 01.09–01.10.
- Ishida, J., 2007: Development of a hybrid terrain-following vertical coordinate for JMA Non-hydrostatic Model. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **37**, 03.09–03.10.

- Ishihara, M., Y. Kato, T. Abo, K. Kobayashi, and Y. Izumikawa, 2006: Characteristics and Performance of the Operational Wind Profiler Network of the Japan Meteorological Agency. *J. Meteor. Soc. Japan*, **84**, 1085–1096.
- Ishii, M., A. Shouji, S. Sugimoto, and T. Matsumoto, 2005: Objective Analyses of Sea-Surface Temperature and Marine Meteorological Variables for the 20th Century using ICOADS and the Kobe Collection. *Int. J. Climatol.*, **25**, 865–879.
- Ishikawa, I., H. Tsujino, M. Hirahara, H. Nakano, T. Yasuda, and H. Ishizaki, 2005: Meteorological Research Institute Community Ocean Model (MRI.COM) manual. *Technical Reports of the Meteorological Research Institute*, **47**, 189pp., (in Japanese).
- Ishikawa, Y. and K. Koizumi, 2002: Meso-scale analysis. *Outline of the operational numerical weather prediction at the Japan Meteorological Agency. Appendix to WMO Technical Progress Report on the Global Data-processing and Forecasting System*, Tokyo, Japan, Japan Meteorological Agency, 26–31.
- Iwamura, K. and H. Kitagawa, 2008: An upgrade of the JMA Operational Global NWP Model. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **38**, 06.3–06.4.
- Iwasaki, T., T. Maki, and K. Katayama, 1998: Tracer transport model at Japan Meteorological Agency and its application to the ETEX data. *Atmos. Env.*, **32**, 4285–4295.
- Iwasaki, T., S. Yamada, and K. Tada, 1989: A parameterization scheme of orographic gravity wave drag with two different vertical partitionings, Part I: Impact on medium-range forecasts. *J. Meteor. Soc. Japan*, **67**, 11–27.
- Janssen, P., 2004: *The Interaction of Ocean Waves and Wind*. Cambridge Univ. Press, 308pp.
- Japan Maritime Safety Agency, (Ed.) , 1983: *Nihonkinkai Kairyu Tokeizu (Statistical charts of ocean currents around Japan)*. Japan Maritime Safety Agency, (in Japanese).
- Japan Meteorological Agency, 2006: Characteristics of Global Sea Surface Temperature Analysis Data (COBE-SST) for Climate Use. *Monthly Report on Climate System Separated Volume*, **12**, 116pp.
- Jin, E. K., J. L. Kinter III, B. Wang, C.-K. Park, I.-S. Kang, B. P. Kirtman, J.-S. Kug, A. Kumar, J.-J. Luo, J. Schemm, J. Shukla, and T. Yamagata, 2008: Current status of ENSO prediction skill in coupled ocean-atmosphere models. *Clim. Dyn.*, **31**, 647–664.
- JMA, 1997: Objective Interpretation of NWP Products. *Outline of the operational numerical weather prediction at the Japan Meteorological Agency. Appendix to WMO Technical Progress Report on the Global Data-processing and Forecasting System*, Japan Meteorological Agency, Tokyo, Japan, 123–124.
- JMA, 2002: *Outline of the operational numerical weather prediction at the Japan Meteorological Agency. Appendix to WMO Technical Progress Report on the Global Data-processing and Forecasting System*. Japan Meteorological Agency, Tokyo, Japan.
- JMA, 2007: *Outline of the operational numerical weather prediction at the Japan Meteorological Agency. Appendix to WMO Technical Progress Report on the Global Data-processing and Forecasting System and Numerical Weather Prediction Research*. Japan Meteorological Agency, Tokyo, Japan.
- Jolliffe, I. T. and D. B. Stephenson, 2003: *Forecast Verification: A Practitioner's Guide in Atmospheric Science*. Wiley, 254pp.
- Joseph, J. H., W. J. Wiscombe, and J. A. Weinman, 1976: The delta-Eddington approximation for radiative flux transfer. *J. Atmos. Sci.*, **33**, 2452–2459.
- Juang, H.-M. H., 2004: A Reduced Spectral Transform for the NCEP Seasonal Forecast Global Spectral Atmospheric Model. *Mon. Wea. Rev.*, **132**, 1019–1035.
- Kadowaki, T. and K. Yoshimoto, 2012: A new inner model with a higher horizontal resolution (TL319) in JMA's Global 4D-Var data assimilation system. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **42**, 01.09–01.10.
- Kain, J. S., 2004: The Kain-Fritsch Convective Parameterization: An Update. *J. Appl. Meteor.*, **43**, 170–181.
- Kain, J. S. and J. M. Fritsch, 1990: A one-dimensional entraining/detraining plume model and its application in convective parameterization. *J. Atmos. Sci.*, **47**, 2784–2802.
- Kato, T., 1998: Numerical simulation of the band-shaped torrential rain observed southern Kyushu, Japan on 1 August 1993. *J. Meteor. Soc. Japan*, **76**, 97–128.
- Kawai, H., 2002: Forecast of sulfur dioxide flow from Miyake volcano with a high resolution regional transport

- model. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **32**, 05.24–05.25.
- Kawai, H. and T. Inoue, 2006: A Simple Parameterization Scheme for Subtropical Marine Stratocumulus. *SOLA*, **2**, 17–20.
- Kershaw, R. and D. Gregory, 1997: Parameterization of momentum transport by convection. I: Theory and cloud modelling results. *Quart. J. Roy. Meteor. Soc.*, **123**, 1133–1151.
- Kessler, E., 1969: *On the distribution and continuity of water substance in atmospheric circulation*. Meteorol. Monogr., American Meteorol. Soc., Boston, MA, 84pp.
- Kitada, T., 1994: Modelling of transport, reaction and deposition of acid rain. *Kishou Kenkyu Note*, **182**, 95–117, (in Japanese).
- Kitada, T., G. R. Carmichael, and L. K. Peters, 1986: Effects of dry deposition on the concentration-distributions of atmospheric pollutants within land- and sea-breeze circulations. *Atmos. Env.*, **20**, 1999–2010.
- Kohno, N., D. Miura, and K. Yoshita, 2011: The development of JMA wave data assimilation system. *Proceedings of the 12th International Workshop on Wave Hindcasting and Forecasting and Coastal Hazards Symposium*, Kohala Coast, Hawaii, 30 October - 4 November 2011, H2, (<http://www.waveworkshop.org>).
- Kohno, N., K. Murotani, H. Minematsu, and D. Miura, 2009: The improvement of JMA operational wave forecasting system. *Proceedings of the 11th International Workshop on Wave Hindcasting and Forecasting and Coastal Hazards Symposium*, Halifax, Canada, 18 - 23 October 2009, R3, (<http://www.waveworkshop.org>).
- Koizumi, K., Y. Ishikawa, and T. Tsuyuki, 2005: Assimilation of precipitation data to the JMA mesoscale model with a four-dimensional variational method and its impact on precipitation forecasts. *SOLA*, **1**, 45–48.
- Kondo, J., 1975: Air-sea bulk transfer coefficients in diabatic conditions. *Bound.-Layer Meteor.*, **9**, 91–112.
- Konishi, T., 1995: An experimental storm surge prediction for the western part of the Inland Sea with application to Typhoon 9119. *Pap. Meteor. Geophys.*, **46**, 9–17.
- Kudo, A., 2011: Development of JMA's new turbulence index. *15th Conference on Aviation, Range, and Aerospace Meteorology*, Amer. Met. Soc., Los Angeles, CA, 1 - 4 August 2011.
- Kuragano, T. and M. Kamachi, 2000: Global statistical space-time scales of oceanic variability estimated from the TOPEX/POSEIDON altimeter data. *J. Geophys. Res.*, **105**, 955–974.
- Kurihara, Y., T. Sakurai, and T. Kuragano, 2006: Global daily sea surface temperature analysis using data from satellite microwave radiometer, satellite infrared radiometer and *in-situ* observations. *Weather Bulletin, JMA*, **73**, s1–s18.
- Lin, Y.-L., R. D. Farley, and H. D. Orville, 1983: Bulk Parameterization of the Snow Field in a Cloud Model. *J. Climate Appl. Meteor.*, **22**, 1065–1092.
- Liu, D. C. and J. Nocedal, 1989: On the limited memory BFGS method for large scale optimization. *Math. Programming*, **45**, 503–528.
- Lord, S. J. and A. Arakawa, 1980: Interaction of a cumulus cloud ensemble with the large-scale environment. Part II. *J. Atmos. Sci.*, **37**, 2677–2692.
- Louis, J.-F., M. Tiedtke, and J.-F. Geleyn, 1982: A short history of the operational PBL-parameterization at ECMWF. *Workshop on Planetary Boundary Layer Parameterization*, Reading, United Kingdom, 25 - 27 November 1981, ECMWF, 59–79.
- Lyard, F., F. Lefèvre, T. Letellier, and O. Francis, 2006: Modelling the global ocean tides: Modern insights from FES2004. *Ocean Dyn.*, **56**, 394–415.
- Lynch, P., 1997: The Dolph-Chebyshev Window: A Simple Optimal Filter. *Mon. Wea. Rev.*, **125**, 655–660.
- Machenhauer, B., 1977: On the dynamics of gravity oscillations in a shallow water model, with application to normal mode initialization. *Contrib. Atmos. Phys.*, **50**, 253–271.
- Mahfouf, J.-F., 1999: Influence of physical process on the tangent-linear approximation. *Tellus*, **51A**, 147–166.
- Makihara, Y., 2000: Algorithms for precipitation nowcasting focused on detailed analysis using radar and raingauge data. *Technical Reports of the Meteorological Research Institute*, **39**, 63–111.
- Matsumoto, K., T. Takanezawa, and M. Ooe, 2000: Ocean Tide Models Developed by Assimilating TOPEX/POSEIDON Altimeter Data into Hydrodynamical Model: A Global Model and a Regional Model around Japan. *J. Oceanogr.*, **56**, 567–581.

- McFarquhar, G. M., S. Iacobellis, and R. C. J. Somerville, 2003: SCM Simulations of Tropical Ice Clouds Using Observationally Based Parameterizations of Microphysics. *J. Climate*, **16**, 1643–1664.
- Mellor, G. L. and L. Kantha, 1989: An ice-ocean coupled model. *J. Geophys. Res.*, **94**, 10 937–10 954.
- Mellor, G. L. and T. Yamada, 1974: A hierarchy of turbulence closure models for planetary boundary layers. *J. Atmos. Sci.*, **31**, 1791–1806.
- Mellor, G. L. and T. Yamada, 1982: Development of a turbulence closure model for geophysical fluid problems. *Rev. Geophys. Space Phys.*, **20**, 851–875.
- Mitsuyasu, H. and T. Honda, 1982: Wind-induced growth of water waves. *J. Fluid Mech.*, **123**, 425–442.
- Miyamoto, K., 2006: Introduction of the Reduced Gaussian Grid into the Operational Global NWP Model at JMA. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **36**, 06.09–06.10.
- Moorthi, S. and M. J. Suarez, 1992: Relaxed Arakawa-Schubert: A parameterization of moist convection for general circulation models. *Mon. Wea. Rev.*, **120**, 978–1002.
- Moriyasu, S. and M. Narita, 2011: Modification of the Kain-Fritsch convective parameterization scheme in the Meso Scale Model. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **41**, 04.05–04.06.
- Munk, W. H. and D. E. Cartwright, 1966: Tidal Spectroscopy and Prediction. *Phil. Trans. Roy. Soc. A*, **259**, 533–581.
- Munro, R., C. Köpken, G. Kelly, J.-N. Thépaut, and R. Saunders, 2004: Assimilation of METEOSAT radiance data within the 4D-Var system at ECMWF: Data quality monitoring, bias correction and single-cycle experiments. *Quart. J. Roy. Meteor. Soc.*, **130**, 2293–2313.
- Murphy, A. H., 1973: A New Vector Partition of the Probability Score. *J. Appl. Meteor.*, **12**, 595–600.
- Naito, I. and N. Kikuchi, 1992: Atmospheric contributions to non-seasonal variations in the length of day. *Geophys. Res. Lett.*, **19**, 1843–1846.
- Nakagawa, M., 2009: Outline of the High Resolution Global Model at the Japan Meteorological Agency. *RSMC Tokyo-Typhoon Center Technical Review*, **11**, 1–13.
- Nakamura, H., 1978: Dynamical effects of mountains on the general circulation of the atmosphere: I. Development of finite-difference schemes suitable for incorporating mountains. *J. Meteor. Soc. Japan*, **56**, 317–340.
- Nakanishi, M., 2001: Improvement of the Mellor-Yamada turbulence closure model based on large-eddy simulation data. *Bound.-Layer Meteor.*, **99**, 349–378.
- Nakanishi, M. and H. Niino, 2004: An improved Mellor-Yamada level-3 model with condensation physics: Its design and verification. *Bound.-Layer Meteor.*, **112**, 1–31.
- Nakanishi, M. and H. Niino, 2006: An improved Mellor-Yamada level-3 model: Its numerical stability and application to a regional prediction of advection fog. *Bound.-Layer Meteor.*, **119**, 397–407.
- Nakanishi, M. and H. Niino, 2009: Development of an Improved Turbulence Closure Model for the Atmospheric Boundary Layer. *J. Meteor. Soc. Japan*, **87**, 895–912.
- Noh, Y. and H.-J. Kim, 1999: Simulations of temperature and turbulence structure of the oceanic boundary layer with the improved near-surface process. *J. Geophys. Res.*, **104**, 15 621–15 634.
- Nomura, A., 1998: *Global sea ice concentration data set for use with the ECMWF re-analysis system*. No. 4 in ECMWF Re-Analysis Project Series, ECMWF.
- Ohara, T., H. Akimoto, J. Kurokawa, N. Horii, K. Yamaji, X. Yan, and T. Hayasaka, 2007: An Asian emission inventory of anthropogenic emission sources for the period 1980–2020. *Atmos. Chem. Phys.*, **7**, 4419–4444.
- Olivier, J. G. J., A. F. Bouwman, C. W. M. van der Maas, J. J. M. Berdowski, C. Veldt, J. P. J. Bloos, A. J. H. Visschedijk, P. Y. J. Zandveld, and J. L. Haverlag, 1996: *Description of EDGAR version 2.0: A set of global emission inventories of greenhouse gases and ozone-depleting substances for all anthropogenic and most natural sources on a per country basis and on a 1 x 1 degree grid*. RIVM Rep. 771060 002/TNO-MEP Rep. R96/119, PBL Netherlands Environmental Assessment Agency.
- Onogi, K., 1998: A Data Quality Control Method Using Forecasted Horizontal Gradient and Tendency in a NWP System: Dynamic QC. *J. Meteor. Soc. Japan*, **76**, 497–516.
- Onogi, K., J. Tsutsui, H. Koide, M. Sakamoto, S. Kobayashi, H. Hatsushika, T. Matsumoto, N. Yamazaki, H. Kamahori, K. Takahashi, S. Kadokura, K. Wada, K. Kato, R. Oyama, T. Ose, N. Mannoji, and R. Taira, 2007: The JRA-25 Reanalysis. *J. Meteor. Soc. Japan*, **85**, 369–432.
- Ou, S. and K.-N. Liou, 1995: Ice microphysics and climatic temperature feedback. *Atmos. Res.*, **35**, 127–138.

- Palmer, T. N., G. J. Schutts, and R. Swinbank, 1986: Alleviation of a systematic westerly bias in general circulation and numerical weather prediction models through an orographic gravity wave drag parameterization. *Quart. J. Roy. Meteor. Soc.*, **112**, 1001–1039.
- Parrish, D. and J. C. Derber, 1992: The National Meteorological Center's spectral statistical-interpolation analysis system. *Mon. Wea. Rev.*, **120**, 1747–1763.
- Persson, A. O., 1991: Kalman Filtering - A new approach to adaptive statistical interpretation of numerical meteorological forecasts. *WMO Technical Document*, **421**, XX27–XX32.
- Plant, W. J., 1982: A relationship between wind stress and wave slope. *J. Geophys. Res.*, **87**, 1961–1967.
- Purser, R. J., W. S. Wu, D. F. Parrish, and N. M. Roberts, 2003: Numerical aspects of the application of recursive filters to variational statistical analysis. Part I: Spatially homogeneous and isotropic Gaussian covariances. *Mon. Wea. Rev.*, **131**, 1524–1535.
- Räisänen, P., 1998: Effective longwave cloud fraction and Maximum-Random overlap of clouds: A problem and a solution. *Mon. Wea. Rev.*, **126**, 3336–3340.
- Randall, D. and D.-M. Pan, 1993: Implementation of the Arakawa-Schubert cumulus parameterization with a prognostic closure. *The representation of cumulus convection in numerical models, AMS Meteorological Monograph Series*, **46**, 137–144.
- Ray, R. D., 1999: A Global Ocean Tide Model From TOPEX/POSEIDON Altimetry: GOT99.2. Technical Memorandum NASA/TM-1999-209478, Goddard Space Flight Center. 58pp.
- Reed, M., 1989: The physical fates component of the natural resource damage assessment model system. *Oil and Chemical Pollution*, **5**, 99–123.
- Reynolds, R. W., 1987: A real-time global sea surface temperature analysis. *J. Climate*, **1**, 75–86.
- Reynolds, R. W. and T. M. Smith, 1994: Improved Global Sea Surface Temperature Analyses Using Optimum Interpolation. *J. Climate*, **7**, 929–948.
- Robert, A. J., 1966: The integration of a low order spectral form of the primitive meteorological equations. *J. Meteor. Soc. Japan*, **44**, 237–245.
- Rothman, L. S., A. Barbe, D. C. Benner, L. R. Brown, C. Camy-Peyret, M. R. Carleer, K. Chance, C. Clerbaux, V. Dana, V. M. Devi, A. Fayt, J.-M. Flaud, R. R. Gamache, A. Goldman, D. Jacquemart, K. W. Jucks, W. J. Lafferty, J.-Y. Mandin, S. T. Massie, V. Nemtchinov, D. A. Newnham, A. Perrin, C. P. Rinsland, J. Schroeder, K. M. Smith, M. A. H. Smith, K. Tang, R. A. Toth, J. Vander Auwera, P. Varanasi, and K. Yoshino, 2003: The HITRAN molecular spectroscopic database: edition of 2000 including updates through 2001. *J. Quant. Spectrosc. Radiat. Transfer*, **82**, 5–44.
- Saito, K., 1997: Semi-implicit fully compressible version of the MRI mesoscale nonhydrostatic model - Forecast experiment of the 6 August 1993 Kagoshima torrential rain. *Geophys. Mag. Ser.*, **2**, 109–137.
- Saito, K. and J. Ishida, 2005: Implementation of the targeted moisture diffusion to JMA-NHM. *CAS/JSC WGN Res. Activ. Atmos. Oceanic Modell.*, **35**, 05.17–05.18.
- Saito, K., J. Ishida, K. Aranami, T. Hara, T. Segawa, M. Narita, and Y. Honda, 2007: Nonhydrostatic Atmospheric Models and Operational Development at JMA. *J. Meteor. Soc. Japan*, **85B**, 271–304.
- Saito, K., T. Fujita, Y. Yamada, J. Ishida, Y. Kumagai, K. Aranami, S. Ohmori, R. Nagasawa, S. Kumagai, C. Muroi, T. Kato, H. Eito, and Y. Yamazaki, 2006: The Operational JMA Nonhydrostatic Mesoscale Model. *Mon. Wea. Rev.*, **134**, 1266–1298.
- Sato, N., P. J. Sellers, D. A. Randall, E. K. Schneider, J. Shukla, J. L. Kinter III, Y-T Hou, and E. Albertazzi, 1989a: Effects of implementing the simple biosphere model (SiB) in a general circulation model. *J. Atmos. Sci.*, **46**, 2757–2782.
- Sato, N., P. J. Sellers, D. A. Randall, E. K. Schneider, J. Shukla, J. L. Kinter III, Y-T Hou, and E. Albertazzi, 1989b: Implementing the simple biosphere model (SiB) in a general circulation model: Methodologies and results. NASA contractor Rep. 185509, NASA. 76pp.
- Saunders, R., J. Hocking, P. Rayer, M. Matricardi, A. Geer, N. Bormann, P. Brunel, F. Karbou, and F. Aires, 2012: RTTOV-10 science and validation report. Tech. rep., EUMETSAT, 31 pp. ([http://research.metoffice.gov.uk/research/interproj/nwpsaf/rtm/docs\\_rttov10/rttov10\\_svr\\_1.11.pdf](http://research.metoffice.gov.uk/research/interproj/nwpsaf/rtm/docs_rttov10/rttov10_svr_1.11.pdf)).
- Sekiyama, T. T. and K. Shibata, 2005: Predictability of total ozone using a global three-dimensional chemical transport model coupled with MRI/JMA98 GCM. *Mon. Wea. Rev.*, **133**, 2262–2274.

- Sellers, P. J., Y. Mintz, Y. C. Sud, and A. Dalcher, 1986: A simple biosphere model (SiB) for use within general circulation models. *J. Atmos. Sci.*, **43**, 505–531.
- Semtner, A. J., 1976: A model for the thermodynamic growth of sea ice in numerical investigation of climate. *J. Phys. Oceanogr.*, **6**, 379–389.
- Shibata, K., M. Deushi, T. T. Sekiyama, and H. Yoshimura, 2005: Development of an MRI Chemical Transport Model for the Study of Stratospheric Chemistry. *Pap. Meteor. Geophys.*, **55**, 75–119.
- Shibata, K., H. Yoshimura, M. Ohizumi, M. Hosaka, and M. Sugi, 1999: A simulation of troposphere, stratosphere and mesosphere with an MRI/JMA98 GCM. *Pap. Meteor. Geophys.*, **50**, 15–53.
- Simmons, A. J. and D. M. Burridge, 1981: An energy and angular-momentum conserving vertical finite-difference scheme and hybrid vertical coordinates. *Mon. Wea. Rev.*, **109**, 758–766.
- Simonsen, C., 1991: Self adaptive model output statistics based on Kalman filtering. *WMO Technical Document*, **421**, XX33–XX37.
- Skamarock, W. C. and J. B. Klemp, 1992: The stability of time-split numerical methods for the hydrostatic and the nonhydrostatic elastic equation. *Mon. Wea. Rev.*, **120**, 2109–2127.
- Slingo, A., 1989: A GCM parameterization for the shortwave radiative properties of water clouds. *J. Atmos. Sci.*, **46**, 1419–1427.
- Smagorinsky, J., 1963: General circulation experiments with the primitive equations I. The basic experiment. *Mon. Wea. Rev.*, **91**, 99–164.
- Smith, R. N. B., 1990: A scheme for predicting layer clouds and their water content in a general circulation model. *Quart. J. Roy. Meteor. Soc.*, **116**, 435–460.
- Smith, S. D. and E. G. Banke, 1975: Variation of the sea surface drag coefficient with wind speed. *Quart. J. Roy. Meteor. Soc.*, **101**, 665–673.
- Sommeria, G. and J. W. Deardorff, 1977: Subgrid-scale condensation in models of nonprecipitating clouds. *J. Atmos. Sci.*, **34**, 344–355.
- Sundqvist, H., 1978: A parameterization scheme for non-convective condensation including prediction of cloud water content. *Quart. J. Roy. Meteor. Soc.*, **104**, 677–690.
- Sundqvist, H., E. Berge, and J. E. Kristjánsson, 1989: Condensation and cloud parameterization studies with a mesoscale numerical weather prediction model. *Mon. Wea. Rev.*, **117**, 1641–1657.
- Takeuchi, Y. and T. Kurino, 1997: Document of algorithm to derive rain rate and precipitation with SSM/I and AMSR. *Algorithm description of Pls for SSM/I and ADEOS-II/AMSR, 2nd AMSR Workshop*, Tokyo, Japan, 61.1–61.9.
- Tanaka, T. Y., K. Orito, T. T. Sekiyama, K. Shibata, M. Chiba, and H. Tanaka, 2003: MASINGAR, a global tropospheric aerosol chemical transport model coupled with MRI/JMA98 GCM: Model description. *Pap. Meteor. Geophys.*, **53**, 119–138.
- Tanguay, M., E. Yakimiw, H. Ritchie, and A. Robert, 1992: Advantage of spatial averaging in semi-implicit semi-Lagrangian schemes. *Mon. Wea. Rev.*, **120**, 113–123.
- The WAMDI Group, 1988: The WAM model—A third generation ocean wave prediction model. *J. Phys. Oceanogr.*, **18**, 1775–1810.
- Tiedtke, M., 1993: Representation of Clouds in Large-Scale Models. *Mon. Wea. Rev.*, **121**, 3040–3061.
- Toth, Z. and E. Kalnay, 1993: Ensemble Forecasting at NMC: The Generation of Perturbations. *Bull. Amer. Meteor. Soc.*, **74**, 2317–2330.
- Toth, Z. and E. Kalnay, 1997: Ensemble Forecasting at NCEP and the Breeding Method. *Mon. Wea. Rev.*, **125**, 3297–3319.
- Tsujino, H., T. Motoi, I. Ishikawa, M. Hirabara, H. Nakano, G. Yamanaka, T. Yasuda, and H. Ishizaki, 2010: Reference Manual for the Meteorological Research Institute Community Ocean Model (MRI.COM) Version 3. Technical Reports of the Meteorological Research Institute 59, Meteorological Research Institute of Japan Meteorological Agency, Ibaraki, Japan. 241pp. ([http://www.mri-jma.go.jp/Publish/Technical/DATA/VOL\\_59/59\\_en.html](http://www.mri-jma.go.jp/Publish/Technical/DATA/VOL_59/59_en.html)).
- Udin, I. and A. Ullerstig, 1976: A numerical model for forecasting the ice motion in the Bay and Sea of Bosnia. *SMHI MMK*, **6**, 1–40.
- Ueno, K., 1998: An energy dissipation term in a numerical prediction wave model. *Sokkou-Jihou*, **65**, S181–



- S187, (in Japanese).
- Undén, P., L. Rontu, H. Järvinen, P. Lynch, J. Calvo, G. Cats, J. Cuxart, K. Eerola, C. Fortelius, J. A. Garcia-Moya, C. Jones, G. Lenderlink, A. McDonald, R. McGrath, B. Navascues, N. W. Nielsen, V. Ødegaard, E. Rodriguez, M. Rummukainen, R. Rööm, K. Sattler, B. H. Sass, H. Savijärvi, B. W. Schreur, R. Sigg, H. The, and A. Tijm, 2002: *HIRLAM-5 Scientific Documentation*. HIRLAM-5 Project, Swedish Meteorological and Hydrological Institute, 144pp.
- Usui, N., S. Ishizaki, Y. Fujii, H. Tsujino, T. Yasuda, and M. Kamachi, 2006: Meteorological Research Institute multivariate ocean variational estimation (MOVE) system: Some early results. *Adv. Space Res.*, **37**, 806–822.
- Veersé, F., D. Auroux, and M. Fisher, 2000: Limited-memory BFGS diagonal preconditioners for a data assimilation problem in meteorology. *Optimization and Engineering*, **1**, 323–339.
- Wilks, D. S., 2006: *Statistical Methods in the Atmospheric Sciences, Second Edition*, International Geophysics Series, Vol. 91. Academic Press, 648pp.
- Willmott, C. J., C. M. Rowe, and Y. Mintz, 1985: Climatology of the terrestrial seasonal water cycle. *J. Climatology*, **5**, 589–606.
- WMO, 1993: *Guide on the Global Data-processing System*. WMO-No.305, World Meteorological Organization.
- WMO, 2010a: *Manual on the Global Data-processing and Forecasting System Volume I - Global Aspects, Updated in 2012*. World Meteorological Organization.
- WMO, 2010b: Standardized Verification System (SVS) for Long-Range Forecasts (LRF), Attachment II-8. *Manual on the Global Data-processing and Forecasting System Volume I - Global Aspects, Updated in 2012*, World Meteorological Organization.
- WMO, 2012: *Final Report of the Coordination Group on Forecast Verification (CG-FV)*. Commission for Basic Systems (CBS), WMO, Reading, UK, 15 - 17 May 2012.
- Wurtele, M. G., R. D. Sharman, and T. L. Keller, 1987: Analysis and simulations of a troposphere-stratosphere gravity wave model. Part I. *J. Atmos. Sci.*, **44**, 3269–3281.
- Wyser, K., 1998: The effective radius in ice clouds. *J. Climate*, **11**, 1793–1802.
- Xie, S. C. and M. H. Zhang, 2000: Impact of the convection triggering function on single-column model simulations. *J. Geophys. Res.*, **105**, 14 983–14 996.
- Yamaguchi, M., R. Sakai, M. Kyoda, T. Komori, and T. Kadowaki, 2009: Typhoon Ensemble Prediction System Developed at the Japan Meteorological Agency. *Mon. Wea. Rev.*, **137**, 2592–2604.
- Yanagino, K. and S. Takada, 1995: Quantitative Analysis and Application to Weather Prediction by Neural Networks. *Technical Report of IEICE*, **NC95-37**, 63–70, (in Japanese).
- Yoshimura, H., 2002: Development of a Semi-Implicit Semi-Lagrangian Global Model using Double Fourier Series. *The 4th International Workshop on Next Generation Climate Models for Advanced High Performance Computing Facilities.*, NCAR, Boulder, Colorado, 12 - 14 March 2002.
- Yoshimura, H. and T. Matsumura, 2003: A Semi-Lagrangian Scheme Conservative in the Vertical Direction. *CAS/JSC WGNE Res. Activ. Atmos. Oceanic Modell.*, **33**, 03.19–03.20.
- Yoshimura, H. and T. Matsumura, 2004: Semi-Lagrangian Toitsu model. *Report of Numerical Prediction Division (Suuchiyouhouka Houkoku Bessatsu Houkoku)*, **50**, 51–60, (in Japanese).
- Zhong, W. and J. D. Haigh, 1995: Improved broadband emissivity parameterization for water vapor cooling rate calculations. *J. Atmos. Sci.*, **52**, 124–138.

# List of Authors

TAKEUCHI, Yoshiaki	Director, Numerical Prediction Division	Preface
EITO, Hisaki	Numerical Prediction Division	Subsection 3.5.4
FUJIEDA, Tsuyoshi	Editor, Numerical Prediction Division	Subsection 3.2.13, Section 3.9, Appendix A
FUJITA, Tadashi	Numerical Prediction Division	Subsection 2.6.1, Subsection 2.6.3.2
FURUKAWA, Takahiro	Numerical Prediction Division	Subsection 2.7.1, Subsection 2.7.3, Section 4.5
HAMADA, Keiji	Office of Marine Prediction	Subsection 3.2.9
HARA, Tabito	Numerical Prediction Division	Section 5.6
HASEGAWA, Hiroshi	Office of Marine Prediction	Subsection 3.5.1, Subsection 3.5.2, Subsection 3.5.6
HAYASHI, Yosuke	Numerical Prediction Division	Subsection 3.5.7, Subsection 3.5.10, Section 3.6
HAYASHI, Yuuta	Numerical Prediction Division	Section 5.5, Subsection 5.5.1, Subsection 5.5.2
HAYASHIBARA, Hironori	Office of Marine Prediction	Subsection 3.2.2, Subsection 3.2.10
HIRAI, Masayuki	Climate Prediction Division	Subsection 2.6.2
ISHII, Kensuke	Numerical Prediction Division	Subsection 5.5.3
ISHIKAWA, Ichiro	Climate Prediction Division	Subsection 4.8.2
ISHIZAKI, Shiro	Office of Marine Prediction	Subsection 2.6.3.1
KADOWAKI, Takashi	Numerical Prediction Division	Section 5.1, Subsection 5.2.2, Section 5.3
KANEHAMA, Takafumi	Numerical Prediction Division	Section 5.2, Subsection 5.2.1
KANESHIRO, Kaoru	Forecast Division	Section 2.5
KAWANO, Kouhei	Numerical Prediction Division	Subsection 3.2.8
KINAMI, Tepei	Numerical Prediction Division	Subsection 4.8.1
KINOSHITA, Nobumiki	Numerical Prediction Division	Subsection 3.5.3
KOHNO, Nadao	Office of Marine Prediction	Section 4.9
KUMAGAI, Saori	Forecast Division	Subsection 2.7.2
KUSABIRAKI, Hiroshi	Numerical Prediction Division	Section 5.4, Section 5.7
KYODA, Masayuki	Numerical Prediction Division	Section 4.4
MATSUBAYASHI, Kengo	Numerical Prediction Division	Subsection 3.5.8, Subsection 3.5.9
MATSUSHITA, Yasuhiro	Numerical Prediction Division	Section 3.3
MORIYASU, Satoshi	Numerical Prediction Division	Subsection 3.5.11
MUROI, Chiashi	Editor, Numerical Prediction Division	Section 4.1, Section 4.6, Section 4.7
NAKAGAWA, Masayuki	Numerical Prediction Division	Subsection 3.5.5
NARITA, Masami	Numerical Prediction Division	Section 2.1, Section 3.1
OCHI, Kenta	Numerical Prediction Division	Subsection 3.2.1, Subsection 3.2.4, Subsection 3.2.5
ONO, Kousuke	Numerical Prediction Division	Chapter 1
ONOGI, Kazutoshi	Climate Prediction Division	Subsection 3.5.11
SAKAMOTO, Masami	Numerical Prediction Division	Subsection 2.6.3.3
SATO, Yoshiaki	Numerical Prediction Division	Section 2.10
SEKIGUCHI, Ryohei	Numerical Prediction Division	Section 3.7
TADA, Hideo	Forecast Division	Section 2.2, Section 2.3, Section 2.4, Subsection 2.5.7
TAKAYA, Yuhei	Climate Prediction Division	Subsection 2.6.4, Subsection 2.7.4, Section 2.9
TOKUHIRO, Takayuki	Climate Prediction Division	Subsection 3.2.3
TOYODA, Eizi	Numerical Prediction Division	Subsection 4.6.4
YAMADA, Kazutaka	Atmospheric Environment Division	Section 3.4
YAMAGUCHI, Haruki	Numerical Prediction Division	Section 3.3
YONEHARA, Hitoshi	Numerical Prediction Division	Section 3.3
YOSHITA, Kumi	Office of Marine Prediction	Section 2.8, Subsection 3.2.11, Subsection 3.2.12
		Subsection 3.2.6, Subsection 3.2.7
		Section 5.4



---

## **Outline of the Operational Numerical Weather Prediction at the Japan Meteorological Agency**

— Appendix to WMO Technical Progress Report on the Global Data-processing and  
Forecasting System (GDPFS) and Numerical Weather Prediction (NWP) Research —

---

19 March 2013  
Japan Meteorological Agency  
1-3-4 Otemachi, Chiyoda-ku, Tokyo 100-8122, Japan

---

©2013 Japan Meteorological Agency  
(Printed in Japan)