

OUTLINE

OF

THE OPERATIONAL NUMERICAL WEATHER PREDICTION

AT

THE JAPAN METEOROLOGICAL AGENCY

March 2025

JAPAN METEOROLOGICAL AGENCY

Contents

Preface	xi
1 Computer System	1
1.1 Introduction	1
1.2 System Configurations and Specifications	2
1.2.1 Supercomputer System	2
1.2.1.1 Overview	2
1.2.1.2 High-Performance Computers	2
1.2.1.3 Server and Terminal Computers at Kiyose and HQ	4
1.2.1.4 Mass Storage at Kiyose	5
1.2.1.5 Cloud Data Center Computers	5
1.2.1.6 Networks	6
1.2.1.7 Server and Terminal Computers at Osaka	6
1.2.2 Linear Precipitation Zone Prediction Supercomputer	6
1.2.2.1 Overview	6
1.2.2.2 High-Performance Computers	6
1.2.2.3 Networks	7
1.2.2.4 Other Implementation	8
1.2.2.5 Inter-system Data Transfer	8
1.3 Management Aspects	9
1.3.1 Operational Suite	9
1.3.2 ROSE Job Scheduler	9
1.3.3 RENS: Job Management System	9
2 Data Assimilation Systems	13
2.1 Summary	13
2.2 Observation Data	18
2.2.1 Summary of Observation Data Used in Analysis	18
2.2.2 Supplemental Information for Used Observation	18
2.2.2.1 SYNOP	18
2.2.2.2 AMeDAS	18
2.2.2.3 METAR	18
2.2.2.4 SHIP	18
2.2.2.5 BUOY	18
2.2.2.6 TEMP	18
2.2.2.7 PILOT	18
2.2.2.8 Aircraft	18
2.2.2.9 Wind Profiler	20
2.2.2.10 AMVs	20
2.2.2.11 Scatterometers	20
2.2.2.12 MW Sounders	20

2.2.2.13	MW Imagers	20
2.2.2.14	CSR	20
2.2.2.15	Hyperspectral IR Sounders	21
2.2.2.16	GNSS-RO	21
2.2.2.17	Ground-based GNSS	21
2.2.2.18	Shipborne GNSS	21
2.2.2.19	Ground-based MWR	21
2.2.2.20	Radar Reflectivity	21
2.2.2.21	Radial Velocity of Doppler Radar	22
2.2.2.22	Analysis of Precipitation(R/A)	22
2.2.2.23	Soil Moisture Content	22
2.3	Quality Control and Related Procedures	22
2.3.1	SYNOP, AMeDAS, METAR, SHIP, BUOY, TEMP, PILOT, Aircraft and Wind Profilers	22
2.3.1.1	Internal QC	22
2.3.1.2	External QC	23
2.3.2	AMVs	23
2.3.3	Scatterometers	23
2.3.4	Satellite Radiance	24
2.3.4.1	MW sounders	24
2.3.4.2	MW imagers	25
2.3.4.3	CSR	25
2.3.4.4	Hyperspectral IR sounders	25
2.3.5	GNSS-RO	25
2.3.6	Ground-based GNSS	25
2.3.7	Shipborne-GNSS	26
2.3.8	Ground-based MWR	26
2.3.9	Radar Reflectivity	26
2.3.10	Radial Velocity of Doppler Radar	26
2.3.11	R/A	26
2.3.12	Soil Moisture Content	27
2.3.13	CDA: Feedback Data Base	27
2.4	Typhoon Bogussing	27
2.5	Global Analysis	27
2.5.1	Introduction	27
2.5.2	Incremental 4D-Var Formulation and Procedural Description	28
2.5.3	Inner Model	30
2.5.4	Penalty Term	31
2.5.5	Background Term	31
2.5.5.1	Climatological Background Error Covariance	32
2.5.5.2	Modified Balance Mass Variable	32
2.5.5.3	Regression Coefficients for $\Delta\eta_U$ and $(\Delta T_U, \Delta P_{sU})$	33
2.5.5.4	Background Error Covariance Matrix	33
2.5.5.5	Cholesky Decomposition of Background Error Covariance Matrix	34
2.5.6	LETKF	34
2.5.7	Observation Terms	36
2.5.7.1	Observation Data	36
2.5.7.2	Observation Error	36
2.5.7.3	Observation Operator	36
2.5.7.4	Variational Bias Correction	40
2.6	Meso-scale Analysis	41
2.6.1	Introduction	41
2.6.2	Operational System	41
2.6.3	Basic Formulation	42

2.6.3.1	Cost Function	42
2.6.3.2	Background Error Covariance	44
2.6.3.3	Inner Model	45
2.6.4	Observation Terms	45
2.6.4.1	Observation Data	45
2.6.4.2	Observation Error	46
2.6.4.3	Observation Operator	46
2.6.4.4	Special Treatment for Precipitation Data	46
2.6.4.5	Variational Quality Control	47
2.7	Local Analysis	48
2.7.1	Introduction	48
2.7.2	Operational System	48
2.7.3	Basic Formulation	49
2.7.3.1	Cost Function	49
2.7.3.2	Solution Procedure	50
2.7.3.3	Analysis Variables	50
2.7.3.4	Background Error Covariance	51
2.7.4	Observation Terms	51
2.7.4.1	Observation Data	51
2.7.4.2	Observation Error	51
2.7.4.3	Observation Operators	51
2.7.5	Parallelization	51
2.8	Snow Depth Analysis	52
2.8.1	Global Snow Depth Analysis	52
2.8.2	Mesoscale Snow Depth Analysis	53
2.9	Soil Moisture Analysis	53
2.10	Non-real-time Quality Control	54
2.10.1	WIPPS-RSMC Activities	54
2.10.2	WDQMS Activities	54
2.10.3	Blacklist Management	55
2.11	Climate Data Assimilation System	55
2.11.1	Introduction	55
2.11.2	JRA-3Q	55
3	Numerical Weather Prediction Models	57
3.1	Summary	57
3.2	Global Spectral Model (JMA-GSM2303)	61
3.2.1	Introduction	61
3.2.2	Dynamics	62
3.2.2.1	Governing Equations	62
3.2.2.2	Vertical Finite Difference Scheme	63
3.2.2.3	Horizontal Grid	63
3.2.2.4	Semi-implicit Semi-Lagrangian Formulation	64
3.2.2.5	Vertically Conservative Semi-Lagrangian Scheme	64
3.2.2.6	Departure Point Determination	65
3.2.2.7	Spectral Method and Horizontal Diffusion	66
3.2.3	Radiation	66
3.2.3.1	Longwave Radiation	67
3.2.3.2	Shortwave Radiation	68
3.2.3.3	Gas Concentrations and Aerosol Climatology	68
3.2.3.4	Cloud Properties	69
3.2.4	Cumulus Convection	69
3.2.4.1	Convective Effect on Large-scale Variables	69

3.2.4.2	Cloud Model	70
3.2.4.3	Closure	70
3.2.4.4	Triggering Mechanism	71
3.2.4.5	Convective Downdraft	71
3.2.4.6	Mid-level Convection	72
3.2.4.7	Convective Momentum Transport	72
3.2.4.8	Melting and Re-evaporation of Precipitation	72
3.2.5	Clouds and Large-scale Precipitation	72
3.2.5.1	Cloud Scheme	72
3.2.5.2	Stratocumulus Scheme	73
3.2.5.3	Cloud Ice Fall and Conversion to Precipitation	73
3.2.5.4	Melting and Evaporation	74
3.2.6	Surface Turbulent Fluxes	74
3.2.7	Boundary layer (turbulent transport)	75
3.2.8	Sub-grid Orography	77
3.2.8.1	Turbulent Orographic Form Drag	77
3.2.8.2	Blocked Flow Drag	78
3.2.8.3	Gravity Wave Drag	79
3.2.8.4	Ancillary Fields for Blocked Flow Drag and Gravity Wave Drag	80
3.2.8.5	Joint Implicit Calculation	81
3.2.9	Non-orographic Gravity Wave Drag	82
3.2.10	Land Surface Processes	83
3.2.10.1	Fluxes	83
3.2.10.2	Radiation and Albedo	84
3.2.10.3	Energy and Water Balances	85
3.2.10.4	Snow	85
3.2.10.5	Soil	86
3.2.10.6	Datasets	87
3.2.11	Parallelization	87
3.2.12	Surface Specifications	88
3.2.12.1	Orography	88
3.2.12.2	Grid Type	88
3.2.12.3	Sea and Lake Surfaces	89
3.2.12.4	Sea and Lake Ice	89
3.2.13	Initial Conditions	90
3.2.14	Forecast Performance	91
3.3	Global Ensemble Prediction System	93
3.3.1	Introduction	93
3.3.2	System	93
3.3.2.1	Configuration, and Initial and Boundary Conditions	93
3.3.2.2	Ensemble Size, Forecast Range and Frequency	93
3.3.3	Initial Ensemble Perturbations	94
3.3.3.1	Local Ensemble Transform Kalman Filter	94
3.3.3.2	Singular Vector Method	95
3.3.4	Perturbed Physics	96
3.3.5	Sea Surface Temperature and Related Perturbations	96
3.3.6	Performance	96
3.3.6.1	Typhoon Forecasting	97
3.3.6.2	One-week Forecasting	97
3.3.6.3	One-month Forecasting	98
3.4	Seasonal Ensemble Prediction System	100
3.4.1	Introduction	100
3.4.2	System Configuration	101

3.4.2.1	Forecast Model	101
3.4.2.2	Ensemble Size, Forecast Range and Frequency	102
3.4.2.3	BGM Method	102
3.4.3	Performance	102
3.5	Meso-Scale Model (JMA-MSM2206)	103
3.5.1	Introduction	103
3.5.2	General Configuration	104
3.5.3	Dynamics	105
3.5.3.1	Basic Equations	105
3.5.3.2	Spatial discretization	108
3.5.3.3	Time integration	108
3.5.3.4	Boundary Conditions	111
3.5.4	Cloud Microphysics	111
3.5.4.1	Mass-size Relationships	112
3.5.4.2	Size Distribution Functions	112
3.5.4.3	Fall Velocity and Sedimentation	113
3.5.5	Convective Parameterization	115
3.5.5.1	Cloud Model	115
3.5.5.2	Determination of Variables in Updraft	116
3.5.5.3	Treatment of convective precipitation	117
3.5.5.4	Closure	117
3.5.5.5	Diagnosis of the Convection as a Triggering Process	117
3.5.6	Radiation	118
3.5.6.1	Radiatively Active Constituents	118
3.5.6.2	Cloud Properties	118
3.5.6.3	Cloud Fraction	119
3.5.6.4	Radiative Timesteps	120
3.5.7	Boundary Layer	120
3.5.7.1	Prognostic Equations and Fluxes	120
3.5.7.2	Buoyancy Flux	121
3.5.7.3	Dissipation Terms	121
3.5.7.4	Mixing Lengths	121
3.5.7.5	Nondimensional Diffusion Coefficients	122
3.5.8	Surface Fluxes	122
3.5.8.1	Basic Equations	123
3.5.8.2	Transfer Coefficients for Momentum and Heat	123
3.5.8.3	Transfer Coefficients for Moisture	124
3.5.8.4	Roughness Length	126
3.5.8.5	Screen Level Diagnostics	126
3.5.9	Ground Temperature and Soil Moisture	126
3.5.9.1	Ground Surface Temperature	126
3.5.9.2	Interception Reservoir	127
3.5.9.3	Soil Moisture	127
3.5.10	Ocean Mixed Layer	128
3.5.11	Parallelization	130
3.5.12	Forecast Performance	130
3.6	Meso-scale Ensemble Prediction System	132
3.6.1	Introduction	132
3.6.2	System Configuration	132
3.6.3	Initial Perturbations	133
3.6.3.1	Singular Vectors	133
3.6.3.2	Global SVs	133
3.6.3.3	Mesoscale SVs	133

3.6.3.4	Linear Combination of SVs	134
3.6.4	Lateral Boundary Perturbation	134
3.6.5	Perturbed Physics	135
3.7	Local Forecast Model (JMA-LFM2403)	135
3.7.1	Introduction	135
3.7.2	General Configurations	135
3.7.3	Forecast Performance	136
3.8	Atmospheric Transport and Dispersion Model	139
3.8.1	Introduction	139
3.8.2	Model	139
3.8.2.1	Basic Model Description	139
3.8.2.2	Dry and Wet Deposition	140
3.8.3	Products	140
3.9	Chemical Transport Model	143
3.9.1	Introduction	143
3.9.2	Basic Framework	144
3.9.3	Coupling of Chemical and Meteorological Parts	144
3.9.4	Data Assimilation	146
3.9.5	Verification	146
3.9.6	Radiative Transfer Model for UV Index Forecasting	146
3.10	Kosa (Aeolian Dust) Analysis Prediction Model	148
3.10.1	Introduction	148
3.10.2	Basic Framework	148
3.10.3	Data Assimilation	149
3.10.4	Verification	151
3.11	Verification	151
3.12	Atmospheric Transport Model for Volcanic Ash	154
3.12.1	Introduction	154
3.12.2	Initial Condition	154
3.12.2.1	Emission Source Parameter Model	154
3.12.2.2	Initialization for Volcanic Ash Clouds	154
3.12.3	Model	155
3.12.3.1	Basic Framework	155
3.12.3.2	Horizontal and Vertical Advection	155
3.12.3.3	Horizontal and Vertical Diffusion	156
3.12.3.4	Gravitational Fallout	157
3.12.3.5	Dry and Wet Deposition	157
3.12.3.6	Time Integration	158
3.12.4	Products	159
3.12.4.1	Volcanic Ash Advisory	159
3.12.4.2	Volcanic Ash Fall Forecast	160
4	NWP Application Products	163
4.1	Summary	163
4.2	Weather Chart Services	163
4.3	Gridded Data Products	166
4.4	Very-short-range Forecasting of Precipitation	169
4.4.1	Analysis of Precipitation (R/A)	169
4.4.2	Forecasting of Precipitation up to 6 hours ahead (VSRF)	170
4.4.2.1	Processes assumed in EX6	170
4.4.2.2	Merging Technique	171
4.4.2.3	Example and Verification Score of R/A and VSRF	172
4.4.3	VSRF Forecast Range Extension to 15 hours (ExtVSRF)	174

4.4.3.1	Basic Concept of ExtVSRF	174
4.4.3.2	ExtVSRF Verification Score and Example	174
4.5	Half-hourly Analysis	174
4.6	Guidance for Short-range Forecasting	177
4.6.1	Overview	177
4.6.2	Guidance Based on Kalman Filtering	177
4.6.2.1	Kalman Filtering	177
4.6.2.2	Frequency Bias Correction	179
4.6.2.3	Guidance Based on Kalman Filtering (3-hour Precipitation Amount)	180
4.6.3	Guidance Based on a Neural Network	180
4.6.3.1	Neural Network	180
4.6.3.2	Example of Guidance Based on a Neural Network (Categorized Weather)	182
4.6.4	Utilization of Guidance at Forecasting Offices	182
4.7	Application Products for Aviation Services	185
4.7.1	Aerodrome Forecast Guidance	185
4.7.1.1	Visibility	185
4.7.1.2	Cloud	185
4.7.1.3	Weather	186
4.7.1.4	Wind and Temperature	186
4.7.1.5	Gust Winds	186
4.7.1.6	Thunderstorms	186
4.7.1.7	Snow	186
4.7.2	Products for Domestic Area Forecast	187
4.7.2.1	Gridded Values of Significant Weather	187
4.7.2.2	Domestic Significant Weather Chart	188
4.7.2.3	Domestic Cross-section Chart	189
4.7.3	Products for International Area Forecast	189
4.8	Ensemble Prediction System Products	190
4.8.1	EPS Products for One-week Forecasting	190
4.8.2	EPSs Products for One-month and Seasonal Forecasting	191
4.8.2.1	Standard Products	191
4.8.2.2	Gridded Datasets	191
4.8.2.3	El Niño Outlook	192
4.8.2.4	Probabilistic Forecast Products for Seasonal Forecasts	193
4.8.2.5	Forecast Products in Support of Early Warnings for Extreme Weather Events	193
4.9	Atmospheric Angular Momentum Functions	194
5	Ocean Models	197
5.1	Summary	197
5.2	Sea Surface Temperature Analysis	198
5.2.1	Merged Satellite and <i>In-situ</i> Data Global Daily Sea Surface Temperature (MGDSST)	198
5.2.2	High-resolution Merged satellite and <i>In-situ</i> data Sea Surface Temperature (HIMSST)	199
5.2.3	Daily Sea Surface Analysis for Climate Monitoring	199
5.3	Ocean Data Assimilation and Prediction Systems	200
5.3.1	Ocean General Circulation Model and Objective Analysis Scheme: Common Framework	201
5.3.2	Ocean Data Assimilation System for Global Oceans (MOVE-G3)	203
5.3.3	Ocean Data Assimilation and Prediction System for the Seas Around Japan (MOVE-JPN)	204
5.4	Ocean Wave Models	208
5.4.1	Introduction	208
5.4.2	Ocean Wave Model Structure	208
5.4.3	Wind Field	211
5.4.4	Wave Analysis	211
5.4.5	Products	212

5.4.6	Improvement and Development	215
5.5	Storm Surge Model	216
5.5.1	Japan-Area Storm Surge Model	216
5.5.1.1	Introduction	216
5.5.1.2	Dynamics	216
5.5.1.3	Meteorological Forcing	217
5.5.1.4	Model Specifications	218
5.5.1.5	Verification	219
5.5.1.6	Probabilistic Prediction	219
5.5.2	Asia-Area Storm Surge Model	223
5.5.2.1	Introduction	223
5.5.2.2	Dynamics	223
5.5.2.3	Data	224
5.5.2.4	Meteorological Forcing	224
5.5.2.5	Ensemble Prediction	224
5.5.2.6	Model Specifications	225
5.5.2.7	Verification	226
5.5.3	Astronomical Tide Analysis	226
5.5.3.1	Introduction	226
5.5.3.2	Analysis Method	228
5.5.3.3	Short-period Tides	228
5.5.3.4	Long-period Tides	229
5.5.3.5	Verification	229
5.6	Oil Spill Prediction Model	231
5.6.1	Introduction	231
5.6.2	Basic Equation	231
5.6.3	Products	232
A	Verification Indices	235
A.1	Basic Verification Indices	235
A.1.1	Mean Error	235
A.1.2	Root Mean Square Error	235
A.1.3	Anomaly Correlation Coefficient	236
A.1.4	Ensemble Spread	236
A.1.5	S1 Score	237
A.2	Verification Indices for Categorical Forecasts	237
A.2.1	Contingency Table	237
A.2.2	Proportion Correct	238
A.2.3	False Alarm Ratio	238
A.2.4	Undetected Error Rate	238
A.2.5	Hit Rate	238
A.2.6	False Alarm Rate	238
A.2.7	Bias Score	239
A.2.8	Climatological Relative Frequency	239
A.2.9	Threat Score	239
A.2.10	Equitable Threat Score	239
A.2.11	Heidke Skill Score	240
A.2.12	Fractions Skill Score	240
A.3	Verification Indices for Probability Forecasts	241
A.3.1	Brier Score	241
A.3.2	Brier Skill Score	241
A.3.3	Murphy's Decompositions	241
A.3.4	Reliability Diagram	242

A.3.5 ROC Area Skill Score	243
References	244

Preface

The Japan Meteorological Agency (JMA) began numerical weather prediction (NWP) in June 1959 after years of extensive research by Japan's Numerical Weather Prediction Group, following on from similar pioneering efforts by the Swedish Meteorological and Hydrological Institute (SMHI) in September 1954 and the US Weather Bureau in May 1955. Subsequent NWP development has advanced well, with JMA and other NWP centers benefitting from enhanced comprehension of meteorological phenomena, improved modeling, increased computing capacity, efficient telecommunications, and better observing systems (especially in the fields of meteorology and satellite-based earth observation). NWP leads itself to a wide range of applications within JMA's scope of operation.

This annual report presents technical details of JMA's NWP systems as of March 2024. Past reports published every five - six years from 2002 to 2022 served as appendices to the WMO Technical Progress Report on the Global Data-processing and Forecasting System (GDPFS) and Numerical Weather Prediction (NWP) Research. Publication has been annual since the 2023 edition as independent content with the cessation of WMO Technical Progress Report, with 2024 output covering the main content of the previous WMO report.

The first chapter here summarizes the configurations and specifications of JMA's new computer system as of March 2024, followed by descriptions of the related operational suite and job management system.

The second chapter describes Global Analysis, Meso-scale Analysis and Local Analysis as major data assimilation systems for atmospheric fields incorporating observation data, along with data assimilation systems for snow depth and soil moisture, the JMA Climate Data Assimilation System and other related considerations.

The third chapter describes NWP models used for very short-range prediction of meso-scale disturbances and short-/medium-range prediction of synoptic-scale disturbances. The regional deterministic and ensemble prediction system is used especially for heavy rainfall associated with mesoscale convective system, which causes extreme disaster conditions in Japan. The global model is used in ensemble prediction systems for typhoon forecasts and weekly/monthly predictions, and the coupled ocean-atmosphere model is employed for seasonal and El Niño forecasts. Atmospheric transport models are applied to prediction for transport of trace elements such as radioactive materials, Kosa (Aeolian Dust), ozone and volcanic ash for the output of environmental information.

The fourth chapter outlines various applications for NWP products such as weather charts, gridded data, very-short-range precipitation forecasting, half-hourly analysis of wind and temperature, guidance for short-range forecasting, and data relating to aviation services, ensemble prediction and atmospheric angular momentum functions.

The final chapter discusses modeling for ocean waves, storm surges and oil spill prediction along with systems for sea surface temperature analysis and ocean data assimilation.

JMA remains committed to its efforts for enhanced NWP accuracy. Against this background, the Numerical Prediction Development Center was established in 2020 in Tsukuba (the location of the Meteorological Research Institute) for integrated promotion. JMA's NWP Strategic Plan Toward 2030, established in 2018 (https://www.jma.go.jp/jma/en/Publications/JMA_NWP_Strategic_Plan_Toward_2030.pdf), also promotes NWP technology within the context of recent intensification of natural disasters and public demand, defining the direction of NWP development at JMA over the coming years. Updates are provided at <https://www.jma.go.jp/jma/en/Activities/nwp.html>.

SATO Yoshiaki

Director
Numerical Prediction Division
Japan Meteorological Agency