

## 付録 2.B 略語集

1D-Var	One-dimensional variational analysis	1 次元变分法
20C3M	Twentieth century climate in coupled models	20 世紀再解析
20CR	Twentieth Century Reanalysis	2 次元 OI
2D-OI	Two-dimensional OI	3 次元变分法
3D-Var	Three-dimensional variational analysis	4 次元变分法
4D-Var	Four-dimensional variational analysis	能動型マイクロ波観測装置
AMI	Active Microwave Instrument	
AMIP	Atmospheric Model Intercomparison Project	
AMSR-E	Advanced Microwave Scanning Radiometer for EOS	改良型マイクロ波探査計
AMSU	Advanced Microwave Sounding Unit	大気追跡風
AMV	Atmospheric motion vector	改良型散乱計 (Metop衛星に搭載)
ASCAT	Advanced Scatterometer	
ASPS	Advanced Scatterometer Processing System	
ATOVS	Advanced TOVS	改良型 TOVS
BFGS	Broyden-Fletcher-Goldfarb-Shanno (algorithm)	
BSRN	Baseline Surface Radiation Network	
BUOY	Report of a buoy observation	
C/NOFS	Communications/Navigation Outage Forecasting System	
CAPE	Convective available potential energy	対流有効位置エネルギー
CCM	Chemistry climate model	
CDAAC	COSMIC Data Analysis and Archive Center	
CERES	Clouds and the Earth's Radiant Energy System	
CFSR	Climate Forecast System Reanalysis	
CHAMP	Challenging Mini-satellite Payload	
CLASS	Comprehensive Large Array-data Stewardship System	
CMIP5	Coupled Model Intercomparison Project Phase 5	
CMOD	C-band model function	
COBE	Centennial In Situ Observation-based Estimates of the Variability of SSTs and Marine Meteorological Variables	
COSMIC	Constellation Observing System for Meteorology, Ionosphere, and Climate	
CRU	Climatic Research Unit	
CRUTEM4	CRU temperature dataset	
CSR	Clear sky radiance	晴天放射
DCAPE	Dynamic CAPE generation rate	CAPE の力学過程による時間変化傾向
DOE	Department of Energy	
EBAF	Energy Balanced and Filled (flux dataset)	
ECMWF	European Centre for Medium-Range Weather Forecast	ヨーロッパ中期予報センター
EORC	Earth Observation Research Center	地球観測研究センター
EOS	Earth Observing System (NASA)	
ERA	ECMWF Reanalysis	ECMWF 再解析
ERA-40	A 45-year ERA from September 1957 to August 2002	
ERA-CLIM	European Reanalysis of Global Climate Observations	
ERS	European Remote Sensing Satellite	欧洲リモートセンシング衛星
ESA	European Space Agency	欧洲宇宙機関
EUMETSAT	European Organisation for the Exploitation of Meteorological Satellites	欧洲気象衛星開発機構
FAA	Federal Aviation Administration	
FGAT	First guess at the appropriate time	
FGGE	First GARP Global Experiment	第1回全球大気研究計画全球実験
FOV	Field of view	視野
GAME	GEWEX Asia Monsoon Experiment	GEWEX アジア・モンスーン実験
GARP	Global Atmospheric Research Programme	全球大気研究計画
GEBA	Global energy balance archive	
GEWEX	Global Energy and Water Cycle Experiment	全球エネルギー・水循環実験計画
GMS	Geostationary Meteorological Satellite	静止気象衛星(日本)
GNSS-RO	Global Navigation Satellite System - Radio Occultation	全球航法衛星システム-掩蔽観測

GOES	Geostationary Operational Environmental Satellite	静止気象衛星(米国)
GPCC	Global Precipitation Climatology Centre	全球降雨計画
GPCP	Global Precipitation Climatology Project	全球スペクトルモデル
GRACE	Gravity Recovery and Climate Experiment	高分解能赤外放射探査計
GSM	Global spectral model	気象庁気候データ同化システム
HadAT	Hadley Centre's radiosonde temperature product	気象庁
HIRS	High-Resolution Infrared Spectrometer	ジェット推進研究所
HITRAN	High Resolution Transmission	JRA-25 長期再解析
IMH	Institute of Meteorology and Hydrology (Mongolia)	気象庁 55年長期再解析
JCDAS	JMA Climate Data Assimilation System	
JMA	Japan Meteorological Agency	
JPL	Jet Propulsion Laboratory	
JRA-25	Japanese 25-year Reanalysis	
JRA-55	Japanese 55-year Reanalysis	
JRA-55AMIP	JRA-55 AMIP-type simulation	
JRA-55C	JRA-55 sub-product assimilating Conventional observations only	
LBLRTM	Line-by-Line Radiative Transfer Model	
MERRA	Modern-Era Retrospective Analysis for Research and Applications	
MHS	Microwave Humidity Sounder	マイクロ波水蒸気サウンダ
MODIS	Moderate Resolution Imaging Spectroradiometer	中分解能撮像分光放射計
MRI	Meteorological Research Institute (JMA)	気象研究所
MSG	Meteosat Second Generation	マイクロ波探査計
MSU	Microwave Sounding Unit	
MT_CKD	Mlawer–Tobin–Clough–Kneizys–Davies (water vapor continuum absorption model)	
MTSAT	Multi-functional Transport Satellite	運輸多目的衛星
NASA	National Aeronautics and Space Administration	米国航空宇宙局
NCAR	National Center for Atmospheric Research	米国大気研究センター
NCDC	National Climate Data Center	国家環境予測センター(米国)
NCEP	National Center for Environmental Prediction	米国海洋大気庁
NOAA	National Oceanic and Atmospheric Administration	
NWP SAF	Satellite Application Facility on Numerical Weather Prediction	
NWS	National Weather Service	
OI	Optimal interpolation	最適内挿法
OMI	Ozone Monitoring Instrument	オゾン監視測器(Aura衛星に搭載)
PAOBS	Pseudo Surface Pressure Observations produced by Australia	品質管理
QC	Quality control	
QuikSCAT	Quick Scatterometer	
R30	Radius of 30-kt winds	30ノット強風半径
RAOB CORE	Radiosonde Observation Correction using Reanalyses	
RCP	Representative Concentration Pathway	
RIHMI	Russian Research Institute for Hydrometeorological Information	
RMS	Root-mean-square	2乗平均平方根
RSS	Remote Sensing Systems	
RTTOV	Radiative Transfer for the TIROS Operational Vertical Sounder	
SAC-C	Satélite de Aplicaciones Científicas-C	
SCOPE-CM	Sustained, Coordinated Processing of Environmental Satellite Data for Climate Monitoring	
SCSMEX	South China Sea Monsoon Experiment	
SEVIRI	Spinning Enhanced Visible and Infrared Imager	スピンドル式可視熱赤外イメージヤ
SHIP	Report of surface observation from a sea station	生物圏モデル
SiB	Simple Biosphere (model)	マイクロ波放射計
SMS	Supervisor Monitor Scheduler	
SSM/I	Special Sensor Microwave/Imager	SSM/Iにサウンダ機能を持つチャンネルを追加した放
SSMIS	Special Sensor Microwave Imager Sounder	
射計		
SST	Sea surface temperature	海面水温
SSU	Stratospheric Sounding Unit	成層圏探査計
STAR	Center for Satellite Applications and Research	米国衛星利用研究センター

SYNOP	Report of surface observation from a fixed land station	
TCR	Wind profile retrieval surrounding tropical cyclones	熱帯低気圧周辺風
TIROS	Television and Infrared Observation Satellite	実験用観測衛星(米国)
TMI	TRMM Microwave Imager	TRMM マイクロ波観測装置( TRMM 衛星に搭載 )
TOA	Top of the atmosphere	大気上端
TOMS	Total Ozone Mapping Spectrometer	オゾン全量分光計
TOVS	TIROS Operational Vertical Sounder	TIROS 実用型鉛直探査計
TRMM	Tropical Rainfall Measurement Mission	熱帯降雨観測衛星
UCAR	University Corporation for Atmospheric Research	
VarBC	Variational bias correction	変分法バイアス補正
VTPR	Vertical Temperature Profile Radiometer	
WDCGG	World Data Centre for Greenhouse Gases	温室効果ガス世界資料センター
WMO	World Meteorological Organization	世界気象機関

## 参考文献

- 石橋俊之, 2009: 静止気象衛星晴天輝度温度の利用、及び変分法バイアス補正の改良. 平成21年度数値予報研修テキスト, 気象庁予報部, 49-53.
- 岩崎俊樹, 北川裕人, 1996: 放射過程. 数値予報課報告・別冊第42号, 気象庁予報部, 1-29.
- 岡本幸三, 2007: ATOVS直接同化. 数値予報課報告・別冊第53号, 気象庁予報部, 58-70.
- 計盛正博, 大和田浩美, 福田和代, 2005: ATOVSレベル1C輝度温度の直接同化. 数値予報課報告・別冊第51号, 気象庁予報部, 82-89.
- 気象庁, 2013: JRA-55プロダクト利用手引書: 1.25度緯度/経度格子データ編. 気象庁地球環境・海洋部気候情報課, 22pp. [http://jra.kishou.go.jp/JRA-55/index\\_ja.html](http://jra.kishou.go.jp/JRA-55/index_ja.html).
- 気象庁, 2014: JRA-55プロダクト利用手引書: モデル格子データ編. 気象庁地球環境・海洋部気候情報課, 31pp. [http://jra.kishou.go.jp/JRA-55/index\\_ja.html](http://jra.kishou.go.jp/JRA-55/index_ja.html).
- 北川裕人, 2000: 放射過程. 数値予報課報告・別冊第46号, 気象庁予報部, 16-31.
- 北川裕人, 2009: 鉛直高解像度化・上部境界. 数値予報課報告・別冊第55号, 気象庁予報部, 54-58.
- 北川裕人, 篠将吉, 村井臣哉, 2005: 雲-放射過程. 数値予報課報告・別冊第51号, 気象庁予報部, 65-66.
- 操野年之, 2001: 衛星による観測データを用いた監視資料の作成(マイクロ波による積雪情報抽出アルゴリズムの開発及び季節予報業務への利用). 平成13年度季節予報研修テキスト, 気象庁気候・海洋気象部, 27-34.
- 坂本雅巳, 2009: 従来型観測の品質管理に関するその他の開発. 数値予報課報告・別冊第55号, 気象庁予報部, 19-26.
- 酒匂啓司, 2010: 航空機気温データの全球解析での利用. 平成22年度数値予報研修テキスト, 気象庁予報部, 33-37.
- 佐藤芳昭, 2007: 全球解析における利用(輝度温度直接同化). 数値予報課報告・別冊第53号, 気象庁予報部, 96-101.
- 杉正人, 多田一正, 1988: 長波放射. 数値予報課報告・別冊第34号, 2-18.
- 田内利治, 2004: マイクロ波放射計可降水量の同化. 数値予報課報告・別冊第50号, 気象庁予報部, 116-121.
- 竹内義明, 2002: 全球3次元変分法. 数値予報課報告・別冊第48号, 17-36.
- 太原芳彦, 村田一則, 2007: マイクロ波散乱計. 数値予報課報告・別冊第53号, 気象庁予報部, 121-132.
- 藤田匡, 2004: 背景誤差統計量のスムージング廃止. 数値予報課報告・別冊第50号, 気象庁予報部, 127-132.
- 宮本健吾, 2009: 適合ガウス格子版全球モデル. 数値予報課報告・別冊第55号, 気象庁予報部, 27-49.
- 村井臣哉, 2009: 放射. 数値予報課報告・別冊第55号, 気象庁予報部, 87-90.
- 篠将吉, 村井臣哉, 北川裕人, 2005: 晴天放射スキーム. 数値予報課報告・別冊第51号, 気象庁予報部, 53-64.
- 吉村裕正, 松村崇行, 2004: セミラグランジュ統一モデル. 数値予報課報告・別冊第50号, 気象庁予報部, 51-60.
- Adler, R. F., G. J. Huffman, A. Chang, R. Ferraro, P.-P. Xie, J. Janowiak, B. Rudolf, U. Schneider, S. Curtis, D. Bolvin, A. Gruber, J. Susskind, P. Arkin, and E. Nelkin, 2003: The Version-2 Global Precipitation Climatology Project (GPCP) monthly precipitation analysis (1979-present). *J. Hydrometeor.*, 4, 1147-1167.
- Andræ, U., N. Sokka, and K. Onogi, 2004: *The radiosonde temperature bias corrections used in ERA-40. ECMWF ERA-40 Project Report Series*, 15, ECMWF, UK, 34pp. <http://www.ecmwf.int/en/research/publications/>.
- Arakawa, A., and W. H. Schubert, 1974: Interaction of a cumulus cloud ensemble with the large-scale environment, Part I. *J. Atmos. Sci.*, 31, 674-701.
- Arking, A., and K. Grossman, 1972: The influence of line shape and band structure on temperatures in planetary atmospheres. *J. Atmos. Sci.*, 29, 937-949.
- Bengtsson, L., P. Arkin, P. Berrisford, P. Bougeault, C. K. Folland, C. Gordon, K. Haines, K. I. Hodges, P. Jones, P. Kallberg, N. Rayner, A. J. Simmons, D. Stammer, P. W. Thorne, S. Uppala, and R. S. Vose, 2007: The need for adynamical climate reanalysis. *Bull. Amer. Meteor. Soc.*, 88, 495-501.
- Bosilovich, M. G., F. R. Robertson, and J. Chen, 2011: Global energy and water budgets in MERRA. *J. Climate*, 24, 5721-5739.
- Bréon, F.-M., D. Jackson, and J. Bates, 1999: Evidence of atmospheric contamination on the measurement of the spectral response of the GMS-5 water vapor channel. *J. Atmos. Oceanic Technol.*, 16, 1851-1853.
- Briegleb, B. P., 1992: Delta-Eddington approximation for solar radiation in the NCAR community climate model. *J. Geophys. Res.*, 97, D7, 7603-7612.
- Briegleb, B. P., P. Minnis, V. Ramanathan, and E. Harrison, 1986: Comparison of regional clear-sky albedos inferred from satellite observations and model computations. *J. Climate Appl. Meteor.*, 25, 214-226.
- Chou, M.-D., and L. Kouvaris, 1991: Calculations of transmission functions in the infrared CO<sub>2</sub> and O<sub>3</sub> bands. *J. Geophys. Res.*, 96, D5, 9003-9012.
- Chou, M.-D., M. J. Suarez, X.-Z. Liang, and M. M.-H. Yan, 2001: *A thermal infrared radiation parameterization for atmospheric studies. Technical report series on global modeling and data assimilation*, NASA/TM-2001-104606, 19, National Aeronautics and Space Administration

- (NASA) Goddard Space Flight Center, USA, 68pp.  
<http://ntrs.nasa.gov/>.
- Clarke, L., J. Edmonds, H. Jacoby, H. Pitcher, J. Reilly, and R. Richels, 2007: *Scenarios of greenhouse gas emissions and atmospheric concentrations*. Sub-report 2.1A of Synthesis and Assessment Product 2.1 by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. Department of Energy (DOE), Office of Biological & Environmental Research, USA, 154pp.  
<http://library.globalchange.gov/products>.
- Clough, S. A., and M. J. Iacono, 1995: Line-by-line calculation of atmospheric fluxes and cooling rates 2. Application to carbon dioxide, ozone, methane, nitrous oxide and the halocarbons. *J. Geophys. Res.*, **100**, D8, 16519-16535.
- Clough, S. A., M. J. Iacono, and J.-L. Moncet, 1992: Line-by-line calculations of atmospheric fluxes and cooling rates: Application to water vapor. *J. Geophys. Res.*, **97**, D14, 15761-15785.
- Clough, S. A., M. W. Shephard, E. J. Mlawer, J. S. Delamere, M. J. Iacono, K. Cady-Pereira, S. Boukabara, and P. D. Brown, 2005: Atmospheric radiative transfer modeling: a summary of the AER codes. *J. Quant. Spectrosc. Radiat. Transfer*, **91**, 233-244.
- Coakley, J. A., Jr., R. D. Cess, and F. B. Yurevich, 1983: The effect of tropospheric aerosols on the earth's radiation budget: a parameterization for climate models. *J. Atmos. Sci.*, **40**, 116-138.
- Compo G. P., J. S. Whitaker, P. D. Sardeshmukh, N. Matsui, R. J. Allan, X. Yin, B. E. Gleason, Jr., R. S. Vose, G. Rutledge, P. Bessemoulin, S. Brönnimann, M. Brunet, R. I. Crouthamel, A. N. Grant, P. Y. Groisman, P. D. Jones, M. C. Kruk, A. C. Kruger, G. J. Marshall, M. Maugeri, H. Y. Mok, Ø. Nordli, T. F. Ross, R. M. Trigo, X. L. Wang, S. D. Woodruff, and S. J. Worley, 2011. The Twentieth Century Reanalysis Project. *Quart. J. Roy. Meteor. Soc.*, **137**, 1-28.
- Courtier, P., J.-N. Thépaut, and A. Hollingsworth, 1994: A strategy for operational implementation of 4D-Var, using an incremental approach. *Quart. J. Roy. Meteor. Soc.*, **120**, 1367-1387.
- De Chiara, G., R. Crapolicchio, and P. Lecomte, 2007: *ERS-1/2 scatterometer new products: mission reprocessing and data quality improvement*. Paper presented at the 2nd Space for Hydrology Workshop, Geneva, Switzerland, November 12-14, 2007.  
<http://earth.esa.int/hydrospace07/programme.html>.
- Dee, D. P., and S. Uppala, 2009: Variational bias correction of satellite radiance data in the ERA-Interim reanalysis. *Quart. J. Roy. Meteor. Soc.*, **135**, 1830-1841.
- Dee, D. P., S. M. Uppala, A. J. Simmons, P. Berrisford, P. Poli, S. Kobayashi, U. Andrae, M. A. Balmaseda, G. Balsamo, P. Bauer, P. Bechtold, A. C. M. Beljaars, L. van de Berg, J. Bidlot, N. Bormann, C. Delsol, R. Dragani, M. Fuentes, A. J. Geer, L. Haimberger, S. B. Healy, H. Hersbach, E. V. Hölm, L. Isaksen, P. Källberg, M. Köhler, M. Matricardi, A. P. McNally, B. M. Monge-Sanz, J.-J. Morcrette, B.-K. Park, C. Peubey, P. de Rosnay, C. Tavolato, J.-N. Thépaut, and F. Vitart, 2011: The ERA-Interim reanalysis: configuration and performance of the data assimilation system. *Quart. J. Roy. Meteor. Soc.*, **137**, 553-597.
- Derber, J., and F. Bouttier, 1999: A reformulation of the background error covariance in the ECMWF global data assimilation system. *Tellus A*, **51**, 195-221.
- Derber, J. C., and W.-S. Wu, 1998: The use of TOVS cloud-cleared radiances in the NCEP SSI analysis system. *Mon. Wea. Rev.*, **126**, 2287-2299.
- Desroziers, G., L. Berre, B. Chapnik, and P. Poli, 2005: Diagnosis of observation, background and analysis error statistics in observation space. *Quart. J. Roy. Meteor. Soc.*, **131**, 3385-3396.
- Dorman, J. L., and P. J. Sellers, 1989: A global climatology of albedo, roughness length and stomatal resistance for atmospheric general circulation models as represented by the Simple Biosphere Model (SiB). *J. Appl. Meteor.*, **28**, 833-855.
- Dunbar, R. S., T. Lungu, B. Weiss, B. Stiles, J. Huddlestone, P. S. Callahan, G. Shirtliffe, K. L. Perry, C. Hsu, C. Mears, F. Wentz, and D. Smith, 2006: *QuikSCAT science data product user's manual*, Version 3.0, D-18053 - Rev A, Jet Propulsion Laboratory (JPL), USA, 85pp.
- Ebert, E. E., and J. A. Curry, 1992: A parameterization of ice cloud optical properties for climate models. *J. Geophys. Res.*, **97**, no. D4, 3831-3836.
- Ebita, A., S. Kobayashi, Y. Ota, M. Moriya, R. Kumabe, K. Onogi, Y. Harada, S. Yasui, K. Miyaoka, K. Takahashi, H. Kamahori, C. Kobayashi, H. Endo, M. Soma, Y. Oikawa, and T. Ishimizu, 2011: The Japanese 55-year Reanalysis "JRA-55": An interim report. *SOLA*, **7**, 149-152.
- Etheridge, D. M., L. P. Steele, R. L. Langenfelds, R. J. Francey, J.-M. Barnola, and V. I. Morgan, 1998: *Historical CO<sub>2</sub> records from the Law Dome DE08, DE08-2, and DSS ice cores*. In Trends: A Compendium of Data on Global Change. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, DOE, USA.  
<http://cdiac.ornl.gov/trends/co2/lawdome.html>.
- Fiorino, M., 2002: Analysis and forecasts of tropical cyclones in the ECMWF 40-year reanalysis (ERA-40). *Extended abstract of 25th Conference on Hurricanes and Tropical Meteorology*, San Diego,

- CA, USA, 29 April - 3 May 2002, 261-264.
- Freidenreich, S. M., and V. Ramaswamy, 1999: A new multiple-band solar radiative parameterization for general circulation models. *J. Geophys. Res.*, **104**, D24, 31389-31409.
- Geleyn, J.-F., and A. Hollingsworth, 1979: An economical analytical method for the computation of the interaction between scattering and line absorption of radiation. *Beitr. Phys. Atmos.*, **52**, 1-16.
- Goody, R. M., 1952: A statistical model for water-vapour absorption. *Quart. J. Roy. Meteor. Soc.*, **78**, 165-169.
- Haimberger, L., C. Tavolato, and S. Sperka 2008: Toward elimination of the warm bias in historic radiosonde temperature records--Some new results from a comprehensive intercomparison of upper-air data. *J. Climate*, **21**, 4587-4606.
- Haimberger, L., C. Tavolato, and S. Sperka. 2012: Homogenization of the global radiosonde temperature dataset through combined comparison with reanalysis background series and neighboring stations. *J. Climate*, **25**, 8108-8131.
- Hatsushika, H., J. Tsutsui, M. Fiorino, and K. Onogi, 2006: Impact of wind profile retrievals on the analysis of tropical cyclones in the JRA-25 reanalysis. *J. Meteor. Soc. Japan*, **84**, 891-905.
- Hersbach, H., 2008: *CMOD5.N: A C-band geophysical model function for equivalent neutral wind*. ECMWF Technical Memorandum, 554, ECMWF, UK, 20pp. <http://www.ecmwf.int/en/research/publications/>.
- Holmlund, K., 1998: The utilization of statistical properties of satellite-derived atmospheric motion vectors to derive quality indicators. *Wea. Forecasting*, **13**, 1093–1104.
- Ishii, M., A. Shouji, S. Sugimoto, and T. Matsumoto 2005: Objective analyses of sea-surface temperature and marine meteorological variables for the 20th century using ICOADS and the KOBE collection. *Int. J. Climatol.*, **25**, 865-879.
- JMA, 2002: *Outline of the operational numerical weather prediction at the Japan Meteorological Agency. Appendix to WMO Numerical Weather Prediction Progress Report*, JMA, Japan, 158pp.
- JMA, 2007: *Outline of the operational numerical weather prediction at the Japan Meteorological Agency. Appendix to WMO Technical Progress Report on the Global Data-Processing and Forecasting System and Numerical Weather Prediction*, JMA, Japan, 194pp. <http://www.jma.go.jp/jma/jma-eng/jma-center/nwp/nwp-top.htm>.
- JMA, 2013: *Outline of the operational numerical weather prediction at the Japan Meteorological Agency. Appendix to WMO Technical Progress Report on the Global Data-processing and Forecasting System (GDPFS) and Numerical Weather Prediction (NWP) Research*, JMA, Japan, 188pp. <http://www.jma.go.jp/jma/jma-eng/jma-center/nwp/nwp-top.htm>.
- Jones, P. D., D. H. Lister, T. J. Osborn, C. Harpham, M. Salmon, and C. P. Morice, 2012: Hemispheric and large-scale land surface air temperature variations: An extensive revision and an update to 2010. *J. Geophys. Res.*, **117**, D05127, doi:10.1029/2011JD017139.
- Joseph, J. H., W. J. Wiscombe, and J. A. Weinman, 1976: The delta-Eddington approximation for radiative flux transfer. *J. Atmos. Sci.*, **33**, 2452-2459.
- Juang, H.-M. H., 2004: A reduced spectral transform for the NCEP Seasonal Forecast Global Spectral Atmospheric Model. *Mon. Wea. Rev.*, **132**, 1019-1035.
- Kalnay, E., M. Kanamitsu, R. Kistler, W. Collins, D. Deaven, L. Gandin, M. Iredell, S. Saha, G. White, J. Woollen, Y. Zhu, M. Chelliah, W. Ebisuzaki, W. Higgins, J. Janowiak, K. C. Mo, C. Ropelewski, J. Wang, A. Leetmaa, R. Reynolds, R. Jenne, and D. Joseph, 1996: The NCEP/NCAR 40-year reanalysis project. *Bull. Amer. Meteor. Soc.*, **77**, 437-471.
- Kistler, R., E. Kalnay, W. Collins, S. Saha, G. White, J. Woollen, M. Chelliah, W. Ebisuzaki, M. Kanamitsu, V. Kousky, H. van den Dool, R. Jenne, and M. Fiorino, 2001: The NCEP-NCAR 50-year reanalysis: Monthly means CD-ROM and documentation. *Bull. Amer. Meteor. Soc.*, **82**, 247-267.
- Kobayashi, C., H. Endo, Y. Ota, S. Kobayashi, H. Onoda, Y. Harada, K. Onogi, and H. Kamahori, 2014: Preliminary results of the JRA-55C, an atmospheric reanalysis assimilating conventional observations only. *SOLA*, **10**, 78-82.
- Kobayashi, C., and K. Shibata, 2011: Evaluation of dynamical contribution to lower stratospheric ozone trends in northern mid-latitudes over the last three decades (1980-2006) using a chemical transport model. *J. Meteor. Soc. Japan*, **89**, 363-376.
- Kobayashi, S., M. Matricardi, D. Dee, and S. Uppala, 2009: Toward a consistent reanalysis of the upper stratosphere based on radiance measurements from SSU and AMSU-A. *Quart. J. Roy. Meteor. Soc.*, **135**, 2086-2099.
- Kobayashi, S., Y. Ota, Y. Harada, A. Ebita, M. Moriya, H. Onoda, K. Onogi, H. Kamahori, C. Kobayashi, H. Endo, K. Miyaoka, and K. Takahashi, 2015: The JRA-55 reanalysis: General specifications and basic characteristics. *J. Meteor. Soc. Japan*, **93**, doi: 10.2151/jmsj.2015-001.
- Kopp, G., G. Lawrence, and G. Rottman, 2005: The Total Irradiance Monitor (TIM): science results. *The Solar Radiation and Climate Experiment*.

- Springer., **230**, 129-139.
- Kopp, G., and J. L. Lean, 2011: A new, lower value of total solar irradiance: evidence and climate significance. *Geophys. Res. Lett.*, **38**, L01706, doi:10.1029/2010GL045777.
- Krzeminski, B., N. Bormann, G. Kelly, T. McNally, and P. Bauer, 2009: Revision of the HIRS cloud detection at ECMWF. *EUMETSAT/ECMWF Fellowship Programme Research Report*, 19, ECMWF, UK, 15pp. <http://www.ecmwf.int/en/research/publications/>.
- Liu, D. C., and J. Nocedal, 1989: On the limited memory BFGS method for large scale optimization. *Math. Programming*, **45**, 503–528.
- Loeb, N. G., B. A. Wielicki, D. R. Doelling, G. L. Smith, D. F. Keyes, S. Kato, N. Manalo-Smith, and T. Wong, 2009: Toward optimal closure of the earth's top-of-atmosphere radiation budget. *J. Climate*, **22**, 748–766.
- Maki, T., A. Ebita, T. Ishimizu, K. Nagata, M. Ikegami, and T. Sasaki, 2008: The daily 3D ozone produced by the chemical transport model for JRA-25. *Extended abstracts of the Third WCRP International Conference on Reanalysis*, Tokyo, Japan, January 28 – February 1, 2008. <http://wcrp.ipsl.jussieu.fr/Workshops/Reanalys is2008/abstract.html>.
- Matricardi, M., F. Chevallier, G. Kelly, and J.-N. Thépaut, 2004: An improved general fast radiative transfer model for the assimilation of radiance observations. *Quart. J. Roy. Meteor. Soc.*, **130**, 153–173.
- Matsumoto, T., M. Ishii, Y. Fukuda, and S. Hirahara, 2006: Sea ice data derived from microwave radiometer for climate monitoring. *Proceedings of the 14th Conference on Satellite Meteorology and Oceanography*, Atlanta, USA, January 29 – February 3, 2006, P2.21.
- McCarthy, M. P., H. A. Titchner, P. W. Thorne, S. F. B. Tett, L. Haimberger, and D. E. Parker, 2008: Assessing bias and uncertainty in the HadAT-adjusted radiosonde climate record. *J. Climate*, **21**, 817–832.
- McMillin, L. M., D. Q. Wark, J. M. Siomkajlo, P. G. Abel, A. Werbowetzki, L. A. Pritchard, D. S. Crosby, H. M. Woolf, R. C. Luebbe, M. P. Weinreb, H. E. Fleming, F. E. Bittner, and C. M. Hayden, 1973: *Satellite infrared soundings from NOAA spacecraft*. NOAA Technical Report NESS, 65, NOAA, USA, 112pp.
- Mears, C. A., and F. J. Wentz, 2009a: Construction of the Remote Sensing Systems V3.2 atmospheric temperature records from the MSU and AMSU microwave sounders. *J. Atmos. Oceanic Technol.*, **26**, 1040–1056.
- Mears, C. A., and F. J. Wentz, 2009b: Construction of the RSS V3.2 lower tropospheric dataset from the MSU and AMSU microwave sounders. *J. Atmos. Oceanic Technol.*, **26**, 1493–1509.
- Meinshausen, M., S. J. Smith, K. Calvin, J. S. Daniel, M. L. T. Kainuma, J-F. Lamarque, K. Matsumoto, S. A. Montzka, S. C. B. Raper, K. Riahi, A. Thomson, G. J. M. Velders, and D. P. P. van Vuuren, 2011: The RCP greenhouse gas concentrations and their extensions from 1765 to 2300. *Climatic Change*, **109**, 213–241.
- Nakamura, H., T. Sampe, A. Goto, Q. Ohfuchi, and S.-P. Xie, 2008: On the importance of midlatitude oceanic frontal zones for the mean state and dominant variability in the tropospheric circulation. *Geophys. Res. Lett.*, **35**, L15709, doi:10.1029/2008GL034010.
- Nash, J., 1988: Extension of explicit radiance observations by the Stratospheric Sounding Unit into the lower stratosphere and lower mesosphere. *Quart. J. Roy. Meteor. Soc.*, **114**, 1153–1171.
- Nash, J., and G. F. Forrester, 1986: Long-term monitoring of stratospheric temperature trends using radiance measurements obtained by the TIROS-N series of NOAA spacecraft. *Adv. Space Res.*, **6**, 37–44.
- Nash, J., and R. Saunders, 2013: *A review of Stratospheric Sounding Unit radiance observations in support of climate trends investigations and reanalysis*. Forecasting Research Technical Report, 586, Met Office, UK, 58pp. <http://www.metoffice.gov.uk/learning/library/publications/science/weather-science-technical-reports>.
- NCDC, NWS, and FAA, 1981: NCDC TD3200 U.S. cooperative summary of day, 1890(1948)-cont. Research Data Archive at NCAR, Computational and Information Systems Laboratory, USA. <http://rda.ucar.edu/datasets/ds510.0>.
- Okamoto, N., M. D. Yamanaka, S.-Y. Ogino, H. Hashiguchi, N. Nishi, T. Sribimawati, and A. Numaguchi, 2003: Seasonal variations of tropospheric wind over Indonesia: comparison between collected operational radiosonde data and NCEP reanalysis for 1992–99. *J. Meteor. Soc. Japan*, **81**, 829–850.
- Onogi, K., 1998: A data quality control method using forecasted horizontal gradient and tendency in a NWP system: Dynamic QC. *J. Meteor. Soc. Japan*, **76**, 497–516.
- Onogi, K., 2000: *The long-term performance of the radiosonde observing system to be used for ERA-40*. ECMWF ERA-40 Project Report Series, 2. ECMWF, UK, 77pp. <http://www.ecmwf.int/en/research/publications/>.
- Onogi, K., J. Tsutsui, H. Koide, M. Sakamoto, S. Kobayashi, H. Hatsushika, T. Matsumoto, N.

- Yamazaki, H. Kamahori, K. Takahashi, S. Kadokura, K. Wada, K. Kato, R. Oyama, T. Ose, N. Mannoji, and R. Taira, 2007: The JRA-25 reanalysis. *J. Meteor. Soc. Japan*, **85**, 369-432.
- Ou, S.-C., and K.-N. Liou, 1995: Ice microphysics and climatic temperature feedback. *Atmos. Res.*, **35**, 127-138.
- Parrish, D., and J. Derber, 1992: The National Meteorological Center's spectral statistical interpolation analysis system. *Mon. Wea. Rev.*, **120**, 1747-1763.
- Raia, A., and I. F. A. Cavalcanti, 2008: The life cycle of the South American monsoon system. *J. Climate*, **21**, 6227-6246.
- Räisänen, P., 1998: Effective longwave cloud fraction and maximum-random overlap of clouds: a problem and a solution. *Mon. Wea. Rev.*, **126**, 3336-3340.
- Rienecker M. M., M. J. Suarez, R. Gelaro, R. Todling, J. Bacmeister, E. Liu, M. G. Bosilovich, S. D. Schubert, L. Takacs, G.-K. Kim, S. Bloom, J. Chen, D. Collins, A. Conaty, A. da Silva, W. Gu, J. Joiner, R. D. Koster, R. Lucchesi, A. Molod, T. Owens, S. Pawson, P. Pegion, C. R. Redder, R. Reichle, F. R. Robertson, A. G. Ruddick, M. Sienkiewicz, and J. Woollen. 2011: MERRA: NASA's Modern-Era Retrospective Analysis for Research and Applications. *J. Climate*, **24**, 3624-3648.
- Robel, J. (ed.), 2009: *NOAA KLM user's guide with NOAA-N, -N' supplement*. February 2009 revision, NOAA, USA. <http://www.ncdc.noaa.gov/oa/pod-guide/ncdc/docs/klm/index.htm>.
- Roberts, R. E., J. E. A. Selby, and L. M. Biberman, 1976: Infrared continuum absorption by atmospheric water vapor in the 8-12- $\mu\text{m}$  window. *Appl. Opt.*, **15**, 2085-2090.
- Rothman, L. S., A. Barbe, D. Chris Benner, L. R. Brown, C. Camy-Peyret, M. R. Carleer, K. Chance, C. Clerbaux, V. Dana, V. M. Devi, A. Fayt, J.-M. Flaud, R. R. Gamache, A. Goldman, D. Jacquemart, K. W. Jucks, W. J. Lafferty, J.-Y. Mandin, S. T. Massie, V. Nemtchinov, D. A. Newnham, A. Perrin, C. P. Rinsland, J. Schroeder, K. M. Smith, M. A. H. Smith, K. Tang, R. A. Toth, J. Vander Auwera, P. Varanasi, and K. Yoshino, 2003: The HITRAN molecular spectroscopic database: edition of 2000 including updates through 2001. *J. Quant. Spectrosc. Radiat. Transfer*, **82**, 5-44.
- Saha, S., S. Moorthi, H.-L., Pan, X. Wu, J. Wang, S. Nadiga, P. Tripp, R. Kistler, J. Woollen, D. Behringer, H. Liu, D. Stokes, R. Grumbine, G. Gayno, Y.-T. Hou, H.-Y. Chuang, H.-M. H. Juang, J. Sela, M. Iredell, R. Treadon, D. Kleist, P. van Delst, D. Keyser, J. Derber, M. Ek, J. Meng, H. Wei, R. Yang, S. Lord, H. van den Dool, A. Kumar, W. Wang, C. Long, M. Chelliah, Y. Xue, B. Huang, J.-K. Schemm, W. Ebisuzaki, R. Lin, P. Xie, M. Chen, S. Zhou, W. Higgins, C.-Z. Zou, Q. Liu, Y. Chen, Y. Han, L. Cucurull, R. W. Reynolds, G. Rutledge, and M. Goldberg, 2010: The NCEP Climate Forecast System Reanalysis. *Bull. Amer. Meteor. Soc.*, **91**, 1015-1057.
- Sakamoto, M., and J. Christy, 2009: The Influences of TOVS radiance assimilation on temperature and moisture tendencies in JRA-25 and ERA-40. *J. Atmos. Oceanic Technol.*, **26**, 1435-1455.
- Santer, B. D., T. M. L. Wigley, A. J. Simmons, P. W. Källberg, G. A. Kelly, S. M. Uppala, C. Ammann, J. S. Boyle, W. Brügmann, C. Doutriaux, M. Fiorino, C. Mears, G. A. Meehl, R. Sausen, K. E. Taylor, W. M. Washington, M. F. Wehner, and F. J. Wentz, 2004: Identification of anthropogenic climate change using a second-generation reanalysis. *J. Geophys. Res.*, **109**, D21104, doi:10.1029/2004JD005075.
- Saunders, R., 2002: *RTTOV-7 science and validation report*. EUMETSAT NWP SAF, 51pp. <http://nwpsaf.eu/deliverables/rtm/>.
- Saunders, R., 2008: *RTTOV-9 science and validation report*. EUMETSAT NWP SAF, 74pp. <http://nwpsaf.eu/deliverables/rtm/>.
- Schneider, U., A. Becker, P. Finger, A. Meyer-Christoffer, B. Rudolf, and M. Ziese, 2011: GPCC full data reanalysis version 6.0 at 0.5°: monthly land-surface precipitation from rain-gauges built on GTS-based and historic data. DOI: 10.5676/DWD\_GPCC/FD\_M\_V6\_050. [ftp://ftp.dwd.de/pub/data/gpcc/html/fulldata\\_v6\\_doi\\_download.html](ftp://ftp.dwd.de/pub/data/gpcc/html/fulldata_v6_doi_download.html).
- Shibata, K., M. Deushi, T. T. Sekiyama, and H. Yoshimura, 2005: Development of an MRI chemical transport model for the study of stratospheric chemistry. *Pap. Geophys. Meteor.*, **55**, MRI, Japan, 75-119.
- Shine, K. P., J. J. Barnett, and W. J. Randel, 2008: Temperature trends derived from Stratospheric Sounding Unit radiances: The effect of increasing CO<sub>2</sub> on the weighting function. *Geophys. Res. Lett.*, **35**, L02710, doi:10.1029/2007GL032218.
- Simmons, A. J., P. D. Jones, V. da Costa Bechtold, A. C. M. Beljaars, P. W. Källberg, S. Saarinen, S. M. Uppala, P. Viterbo, and N. Wedi, 2004: Comparison of trends and low-frequency variability in CRU, ERA-40, and NCEP/NCAR analyses of surface air temperature. *J. Geophys. Res.*, **109**, D24115, doi:10.1029/2004JD005306.
- Simmons, A. J., P. Poli, D. P. Dee, P. Berrisford, H. Hersbach, S. Kobayashi, and C. Peubey, 2014: Estimating low frequency variability and trends in atmospheric temperature using ERA Interim. *Quart. J. Roy. Meteor. Soc.*, **140**, 329-353.
- Simmons, A. J., K. M. Willett, P. D. Jones, P. W. Thorne, and D. P. Dee, 2010: Low-frequency

- variations in surface atmospheric humidity, temperature, and precipitation: Inferences from reanalyses and monthly gridded observational data sets. *J. Geophys. Res.*, **115**, D01110, doi:10.1029/2009JD012442.
- Slingo, A., 1989: A GCM parameterization for the shortwave radiative properties of water clouds. *J. Atmos. Sci.*, **46**, 1419-1427.
- Smith, S. J., and T. M. L. Wigley, 2006: Multi-gas forcing stabilization with Minicam. *Energy J.*, **27**, Special Issue no. 3, 373-391.
- Takeuchi, Y., 2002: Algorithm theoretical basis document (ATBD) of the algorithm to derive total water vapor content from ADEOS-II/AMSR. *EORC Bull.*, **9**, Earth Observation Research Center (EORC), Japan, 3-7. <http://sharaku.eorc.jaxa.jp/AMSR/doc/index.htm>
- Thompson, D. W. J., D. J. Seidel, W. J. Randel, C.-Z. Zou, A. H. Butler, C. Mears, A. Osso, C. Long, and R. Lin, 2012: The mystery of recent stratospheric temperature trends. *Nature*, **491**, 692-697.
- Thorne, P. W., D. E. Parker, S. F. B. Tett, P. D. Jones, M. McCarthy, H. Coleman, and P. Brohan, 2005: Revisiting radiosonde upper-air temperatures from 1958 to 2002. *J. Geophys. Res.*, **110**, D18105, doi:10.1029/2004JD005753.
- Trenberth, K. E., and J. T. Fasullo, 2010: Simulation of present-day and twenty-first-century energy budgets of the Southern Oceans. *J. Climate*, **23**, 440-454.
- Trenberth, K. E., J. T. Fasullo, and J. Mackaro, 2011: Atmospheric moisture transports from ocean to land and global energy flows in reanalyses. *J. Climate*, **24**, 4907-4924.
- Trenberth, K. E., and L. Smith, 2008: Atmospheric energy budgets in the Japanese reanalysis: evaluation and variability. *J. Meteor. Soc. Japan*, **86**, 579-592.
- Uppala, S. M., P. W. Källberg, A. J. Simmons, U. Andrae, V. Da Costa Bechtold, M. Fiorino, J. K. Gibson, J. Haseler, A. Hernandez, G. A. Kelly, X. Li, K. Onogi, S. Saarinen, N. Sokka, R. P. Allan, E. Andersson, K. Arpe, M. A. Balmaseda, A. C. M. Beljaars, L. Van De Berg, J. Bidlot, N. Bormann, S. Caires, F. Chevallier, A. Dethof, M. Dragosavac, M. Fisher, M. Fuentes, S. Hagemann, E. Hólm, B. J. Hoskins, L. Isaksen, P. A. E. M. Janssen, R. Jenne, A. P. McNally, J.-F. Mahfouf, J.-J. Morcrette, N. A. Rayner, R. W. Saunders, P. Simon, A. Sterl, K. E. Trenberth, A. Untch, D. Vasiljevic, P. Viterbo, and J. Woollen, 2005: The ERA-40 re-analysis. *Quart. J. Roy. Meteor. Soc.*, **131**, 2961-3012.
- van de Berg, L., J. Gustafsson, and A. Yildirim, 2002: Reprocessing of atmospheric motion vectors from Meteosat image data. *ECMWF ERA-40 Project Report Series*, 3, ECMWF, UK, 159-168. <http://www.ecmwf.int/en/research/publications/>
- Veersé, F., D. Auroux, and M. Fisher, 2000: Limited-memory BFGS diagonal preconditioners for a data assimilation problem in meteorology. *Optimization and Engineering*, **1**, 323-339.
- Walsh, J. E., and W. L. Chapman, 2001: 20th-century sea-ice variations from observational data. *Annals of Glaciology*, **33**, 444-448.
- Wang, L., C.-Z. Zou, and H. Qian, 2012: Construction of stratospheric temperature data records from Stratospheric Sounding Units. *J. Climate*, **25**, 2931-2946.
- Werbowitzki, A. (ed.), 1981: *Atmospheric sounding user's guide. NOAA Technical Report NESS*, **83**, NOAA, USA, 82pp.
- Wild, M., D. Folini, C. Schär, N. Loeb, E. G. Dutton, and G. König-Langlo, 2013: The global energy balance from a surface perspective. *Climate Dyn.*, **40**, 3107-3134.
- Wise, M., K. Calvin, A. Thomson, L. Clarke, B. Bond-Lamberty, R. Sands, S. J. Smith, A. Janetos, and J. Edmonds, 2009: Implications of limiting CO<sub>2</sub> concentrations for land use and energy. *Science*, **324**, 1183-1186.
- WMO, 1986: *A preliminary cloudless standard atmosphere for radiation computation, World Climate Programme (WCP)*, 112, 53pp.
- WMO, 2010: *Scientific Assessment of Ozone Depletion: 2010. Global Ozone Research and Monitoring Project*, 52, World Meteorological Organization (WMO), Switzerland, 572pp.
- WMO, 2012: *WMO WDCGG data summary*, 36, JMA, Japan, 100pp. <http://ds.data.jma.go.jp/gmd/wdcgg/products/publication.html>.
- Wyser, K., 1998: The effective radius in ice clouds. *J. Climate*, **11**, 1793-1802.
- Xie, S., and M. Zhang, 2000: Impact of the convection triggering function on single-column model simulations. *J. Geophys. Res.*, **105**, D11, 14983-14996.
- Zhong, W., and J. D. Haigh, 1995: Improved broadband emissivity parameterization for water vapor cooling rate calculations. *J. Atmos. Sci.*, **52**, 124-138.